BULLETIN

of the

British Arachnological Society

Volume 12

Dates of publication of parts

Part 1, pp. 1– 48	1 March	2001
Part 2, pp. 49– 96	1 July	2001
Part 3, pp. 97–152	1 November	2001
Part 4, pp. 153–200	1 March	2002
Part 5, pp. 201–248	1 July	2002
Part 6, pp. 249–296	1 November	2002
Part 7, pp. 297–344	1 March	2003
Part 8, pp. 345–384	1 July	2003
Part 9, pp. 385–424	1 November	2003

LIST OF CONTENTS

VOLUME 12

AAKRA, K., Taxonomic notes on some Norwegian linyphiid spiders described by E. Strand (Araneae: Linyphiidae) 267

ACOSTA, L. E., The identity of *Acrographinotus erectispina*, with a review of the generic diagnosis, and the description of a new species (Opiliones, Gonyleptidae, Pachylinae) 58

ALDERWEIRELDT, M., Redescription of *Arctosa tbilisiensis* Mcheidze, 1947, a poorly known Pontocaspian wolf spider (Araneae, Lycosidae) 183

AZARKINA, Galina N., New and poorly known species of the genus *Aelurillus* Simon, 1884 from Central Asia, Asia Minor and the eastern Mediterranean (Araneae: Salticidae) 249

BERTANI, R., BOSTON, T., EVENOU, Y. & GUADANUCCI, J. P. L., Release of urticating hairs by *Avicularia versicolor* (Walckenaer, 1837) (Araneae, Theraphosidae) 395

BRESCOVIT, A. D. & CUNHA, F. de S., Four new species of *Dolichognatha* Pickard-Cambridge, 1869 from Brazil and description of the female of *D. maturaca* Lise, 1993 (Araneae: Tetragnathidae) 97

BRESCOVIT, A. D. & RAMOS, Elaine F., A new species of the spider genus *Oltacloea* (Araneae: Prodidomidae) from Brazilian "caatinga" in Central, Bahia 333

BURGER, M., NENTWIG, W. & KROPF, C., *Opopaea fosuma*, n. sp. from Sumatra, Indonesia (Araneae, Oonopidae) 244

DAVIS, Melinda J. & COYLE, F. A., Habitat distribution and life history of *Araneus* spider species in the Great Smoky Mountains National Park 49

DAWSON, I. K. & MERRETT, *P., Neriene emphana* (Walckenaer, 1841), a linyphiid spider new to Britain (Araneae: Linyphiidae) 295

DEELEMAN-REINHOLD, Christa L. & FLOREN, A., Some remarkable, new or little-known pluridentate salticid spiders from Bornean tree canopy (Araneae: Salticidae) 335

DELTSHEV, C. & BLAGOEV, G., A critical check list of Bulgarian spiders (Araneae) 110

DI FRANCO, Francesca, New data on four little-known species of the genus *Zelotes* Gistel, 1848 (Araneae: Gnaphosidae) 196

DI FRANCO, Francesca & BLICK, T., *Zelotes pyrenaeus*, replacement name for *Zelotes mediocris* Simon, 1914 (Araneae: Gnaphosidae) 360

DIPPENAAR-SCHOEMAN, A. S. & WASSENAAR, T. D., A checklist of the ground-dwelling spiders of coastal dune forests at Richards Bay, South Africa (Arachnida: Araneae) 275

EDMUNDS, M. & PRÓSZYŃSKI, J., New species of Malaysian *Agorius* and *Sobasina* (Araneae: Salticidae). 139

— On a collection of *Myrmarachne* spiders (Araneae: Salticidae) from peninsular Malaya 297

ELPINO-CAMPOS, A., PEREIRA, W., DEL-CLARO, K. & MACHADO, G., Behavioural repertory and notes on natural history of the Neotropical harvestman *Discocyrtus oliverioi* (Opiliones: Gonyleptidae). 144

EYRE, M. D., WOODWARD, J. C. & LUFF, M. L., The spider assemblages (Araneae) of exposed riverine sediments in Scotland and northern England 287

FET, V., BRAUNWALDER, M. E. & CAMERON, H. D., Scorpions (Arachnida, Scorpiones) described by Linnaeus 176

GALLON, R. C., Revision of the African genera *Pterinochilus* and *Eucratoscelus* (Araneae, Theraphosidae, Harpactirinae) with description of two new genera 201

— A new African arboreal genus and species of theraphosid spider (Araneae, Theraphosidae, Stromatopelminae) which lacks spermathecae 405

HAJDAMOWICZ, Izabela, KUPRYJANOWICZ, J. & ROZWAŁKA, R., *Mysmenella jobi* (Kraus, 1967), a rare species in Europe: first records from Poland (Araneae: Mysmenidae) 361

HAJER, J. & ŘEHÁKOVÁ, Dana, Spotted dome-shaped webs of the pholcids *Crossopriza* sp. and *Holocnemus pluchei* (Araneae: Pholcidae) 345

HENDERICKX, H. & VETS, V., A new *Larca* (Arachnida: Pseudoscorpiones: Larcidae) from Crete 280

HUBER, B. A. & ZHU, M., On Taczanowski's pholcids, with three new synonymies in Pholcidae (Araneae). 151

JANTSCHER, Elke, Diagnostic characters of *Xysticus cristatus*, *X. audax* and *X. macedonicus* (Araneae: Thomisidae) 17

JANTSCHKE, Barbara & NENTWIG, W., Sub-social behaviour in the diplurid *Ischnothele caudata* (Araneae, Dipluridae) 12

KUNTNER, M. & ŠEREG, Irena, Additions to the spider fauna of Slovenia, with a comparison of spider species richness among European countries 185

LEE, P. & MERRETT, *P., Meioneta fuscipalpa* (C. L. Koch, 1836), a linyphiid spider new to Britain (Araneae: Linyphiidae) 10

LOGUNOV, D. V. & KOPONEN, S., Redescription and distribution of *Phlegra hentzi* (Marx, 1890) comb. n. (Araneae, Salticidae) 264

LOGUNOV, D. V. & MARUSIK, Y. M., Taxonomic and faunistic notes on *Chinoscopus* Simon, 1900 and *Lyssomanes* Hentz, 1845 from the Neotropical Region (Araneae: Salticidae) 415

MANDERBACH, R. & FRAMENAU, V. W., Spider (Arachnida: Araneae) communities of riparian gravel banks in the northern parts of the European Alps 1

MARUSIK, Y. M. & KOPONEN, S., *Vermontia*, a linyphiid genus new to the Palaearctic, and new records of spiders from northeast Asia (Araneae) 159

MARUSIK, Y. M., KOPONEN, S. & DANILOV, S. N., Taxonomic and faunistic notes on linyphiids of Transbaikalia and South Siberia (Araneae, Linyphiidae) 83

MERRETT, P., *Clubiona pseudoneglecta* Wunderlich, 1994, a clubionid spider new to Britain (Araneae: Clubionidae) 32

MUSTER, C. & THALER, K., The *Thanatus striatus* species group in the eastern Alps, with description of *Thanatus firmetorum* sp. n. (Araneae: Philodromidae) 376

PEKÁR, S., CARDOSO, P. & MEIERROSE, C., Additions to the knowledge of Portuguese zodariid spiders (Araneae: Zodariidae) 385

PÉREZ-MILES, F. & LOCHT, A., Revision and cladistic analysis of the genus *Hemirrhagus* Simon, 1903 (Araneae, Theraphosidae, Theraphosinae) 365

PUNZO, F., Substrate preferences, and the relationship between soil characteristics and the distribution of the giant whipscorpion, *Mastigoproctus giganteus* (Lucas) (Arachnida, Uropygi) in Big Bend National Park. 35

— Reversal learning and complex maze learning in the spider *Aphonopelma hentzi* (Girard) (Araneae, Theraphosidae) 153

— Changes in brain monoamines associated with agonistic interactions between males of *Eremobates marathoni* (Arachnida, Solifugae, Eremobatidae) 237

— Possible role of brain monoamines in the dispersal behaviour of spiderlings of *Hogna carolinensis* (Walckenaer) (Araneae, Lycosidae) 283

— Possible role of serotonin in the regulation of feeding in the tarantula *Aphonopelma hentzi* (Girard) (Orthognatha, Theraphosidae) 330

— Observations on the natural history and ecology of the wolf spider *Hogna carolinensis* (Walckenaer) (Araneae, Lycosidae) in the northern Chihuahuan Desert 399

PUNZO, F. & BOTTRELL, J., Spatial learning in the lynx spider *Oxyopes salticus* Hentz (Araneae, Oxyopidae) 105

PUNZO, F. & HANSON, Sara, The effects of early experience on open field behaviour in the lynx spider *Oxyopes salticus* Hentz (Araneae, Oxyopidae) 270

PUNZO, F. & REEVES, Carla, Geographical variation in male courtship behaviour of the giant whipscorpion *Mastigoproctus giganteus* (Lucas) (Araneae, Uropygi) 93

RHEIMS, Cristina A. & BRESCOVIT, A. D., Description of six new species of *Anapistula* Gertsch (Araneae, Symphytognathidae) from Brazil 324

RŮŽIČKA, V., The female of *Anyphaena furva* Miller (Araneae: Anyphaenidae) 46

SCHÜTT, Karin, Description of the male of *Crozetulus rhodesiensis* Brignoli, 1981 (Araneae, Anapidae) 171

SIMÓ, M. & BRESCOVIT, A. D., Revision and cladistic analysis of the Neotropical spider genus *Phoneutria* Perty, 1833 (Araneae, Ctenidae), with notes on related Cteninae 67

SMITH, Helen M., Shape variation in Australian *Poltys* species (Araneae, Araneidae) 355

STROPA, A. A. & RINALDI, Isabela M. P., Relative tolerance and communication in agonistic behaviour between females of *Loxosceles gaucho* (Araneae, Sicariidae) 41

SZINETÁR, C. & SAMU, F., *Pelecopsis loksai* sp. n., a new erigonine spider from Hungary (Araneae: Linyphiidae) 412

TARSITANO, M., & KIRCHNER, W. H., Vibrational courtship signals of *Zygiella x-notata* (Clerck) (Araneae: Araneidae) 26

VINK, C. J. & MITCHELL, A. D., 12S DNA sequence data confirm the separation of *Alopecosa barbipes* and *Alopecosa accentuata* (Araneae, Lycosidae) 242

WARBURG, M. R., Gregarious interactions in a small buthid scorpion, *Compsobuthus werneri judaicus*: a case of quasi-sociality? 233

WESOŁOWSKA, Wanda & CUMMING, Meg S., *Mashonarus guttatus*, gen. and sp. n., the second termitivorous jumping spider from Africa (Araneae: Salticidae) 165

YIN, C.-M., GRISWOLD, C. E., BAO, Y.-H. & XU, X., A new species of the spider genus *Craspedisia* from the Gaoligong Mountains, Yunnan, China (Araneae, Theridiidae) 383

INDEX

List of Genera and Species

Abacoproeces saltuum, 90, 116
abantia, Harpactea, 113
Abiskoa abiskoensis, 90
abiskoensis, Abiskoa, 90
abnormis, Saaristoa, 294
acalypha, Mangora, 122
Acanthoctenus, 67
Acantholycosa nigripalpis, 111
Acanthopachylus aculeatus, 148
Acanthoscurria atrox, 397
Acartauchenius scurrilis, 90, 116
accentuata, Alopecosa, 122, 242, 243
accentuata, Anyphaena, 46–48, 127
acerbus, Xysticus, 132
Achaearanea lunata, 114
— *ohlerti*, 112, 114
— *simulans*, 114, 188
— *tabulata*, 114
— *tepidariorum*, 114
Acrographinotus, 58–60, 62, 63
— *ceratopygus*, 59, 62–64
— *curvispina*, 58, 59, 62, 63, 66
— *erectispina*, 58–64, 66
— *luteipalpis*, 58, 60
— *niawpaq*, 58, 59, 62–66
— *olivaceus*, 58–60
— *ortizi*, 59, 60, 62, 63
actaeon, Grammostola, 396, 397
aculeata, Alopecosa, 122
aculeatum, Zodarion, 128
aculeatus, Acanthopachylus, 148
Aculepeira armida, 121
— *ceropegia*, 121
— *talishia*, 112, 121
acuminata, Entelecara, 117
acuminata, Walckenaeria, 120, 289, 290, 294
adianta, Neoscona, 122, 186
adonis, Amphiledorus, 385–387, 390, 392, 393
adrianopoli, Theridion, 115
Aelurillus, 249, 250, 254, 257
— *blandus*, 250
— *concolor*, 249
— *cretensis*, 250, 251, 254
— *improvisus*, 252, 253, 258
— *leipoldae*, 249, 251, 253–255, 259
— *lymphus*, 249
— *marusiki*, 255, 256, 261
— *minimontanus*, 257, 258
— *minutus*, 253, 258, 259
— *m-nigrum*, 249, 251, 253, 254, 259, 260
— *nenilini*, 259–261
— *quadrimaculatus*, 249
— *steinmetzi*, 260
— *unitibialis*, 255, 261, 262
— *v-insignitus*, 133
Aelurops fasciatus, 264
aenea, Micaria, 129, 269
aeneus, Heliophanus, 133
aeneus, Zelotes, 130
aequipes, Talavera, 135
aestivus, Tiso, 120
afer, Scorpio, 176, 178
affinis, Agyneta, 90
affinis, Atypus, 111
affinis, Pterinochilus, 201, 206–209
affinis, Trichoncus, 120
affinisoides, Agyneta, 90
africanus, Pandinus, 178
afrodite, Enoplognatha, 114
Agalenatea redii, 121, 413
Agelena gracilens, 125
— *labyrinthica*, 125
— *orientalis*, 125
Agelenopsis aperta, 95
agoriformis, Synagelides, 139
Agorius, 139, 140, 142
— *borneensis*, 139–141
— *gracilipes*, 139
Agraecina striata, 4, 6, 7, 127
agrestis, Oedothorax, 2–8, 91, 119
agrestis, Pardosa, 123
agrestis, Tegenaria, 125
agricola, Pardosa, 123, 288–292, 294
Agroeca brunnea, 127
— *cuprea*, 127
— *proxima*, 127, 294
Agyneta, 84, 269
— *affinis*, 90
— *affinisoides*, 90
— *alaskensis*, 84, 88
— *allosubtilis*, 90
— *cauta*, 116
— *decora*, 290, 294
— *maritima*, 84
— *nigripes*, 84
— *olivacea*, 90, 290, 294
— *subtilis*, 294
aimakensis, Walckenaerianus, 91
alacre, Zodarion, 385, 387, 389, 390, 393
alacre, Zodarium, 389
alacris, Enyo, 387
alacris, Lepthyphantes, 117
alacris, Pardosa, 123
alacris, Tenuiphantes, 91
alaskensis, Agyneta, 84, 88
alaskensis, Meioneta, 84
albatula, Pardosa, 112, 123
albicrurata, Myrmarachne, 298, 301, 303, 304
albidus, Philodromus, 187
albimana, Aulonia, 123
albimana, Micaria, 129
albofasciata, Alopecosa, 122
alboirrorata, Anyphaena, 47
albomaculata, Nurscia, 127
albomaculata, Steatoda, 115
albosignata, Nurscia, 111, 127
albovittata, Hypsosinga, 122
algarvense, Zodarion, 385
algerina, Cyrba, 133
allosubtilis, Agyneta, 90
alluaudi, Pterinochilus, 201, 205–207, 209, 217, 223
Alopecosa, 242, 243
— *accentuata*, 122, 242, 243
— *aculeata*, 122
— *albofasciata*, 122
— *barbipes*, 242, 243
— *cuneata*, 122, 242, 243
— *cursor*, 122
— *etrusca*, 122
— *fabrilis*, 122, 187
— *inquilina*, 122, 242, 243
— *pentheri*, 123
— *pinetorum*, 123
— *pulverulenta*, 123, 242, 243, 288–292, 294
— *schmidti*, 123
— *solitaria*, 123
— *striatipes*, 123
— *sulzeri*, 111, 123, 413
— *taeniata*, 123, 242, 243
— *taeniopus*, 112, 123
— *trabalis*, 123, 242, 243, 413
alpica, Araniella, 121
alpicola, Clubiona, 128
alpigena, Scotinotylus, 120
alsine, Araneus, 121
alticeps, Bolyphantes, 116
alticeps, Walckenaeria, 120
alticola, Anyphops, 277
altimontanus, Diplocephalus, 117
alutacius, Lepthyphantes, 117, 187
Amaurobius erberi, 126
— *fenestralis*, 126
— *ferox*, 126
— *Jurinitschi* var. *flavus*, 111
— *Jurinitschi* var. *niger*, 111
— *obustus*, 126
— *pallidus*, 126
— *timidus*, 126
amazonicus, Lyssomanes, 415
ambiguus, Charminus, 277
ambiguus, Silometopus, 268
amentata, Pardosa, 4, 6, 7, 112, 123, 289–292, 294
americanus, Isometrus, 180
americanus, Lychas, 180
americanus, Scorpio, 176, 177, 179, 180
americus, Androctonus, 180
americus, Scorpio, 176, 180
amica, Xevioso, 277
ammophila, Archaeodictyna, 126
amoena, Dasumia, 113
Amphiledorus adonis, 385–387, 390, 392, 393
amphora, Ctenus, 69, 79, 80
Anapis, 174
Anapistula, 324, 329
— *aquytabuera*, 326–329
— *ayri*, 324, 325, 328, 329
— *bebuia*, 328, 329
— *guyri*, 326–329
— *pocaruguara*, 327–329
— *secreta*, 324
— *ybyquyra*, 325, 328, 329
Anapogonia, 324
Ancylometes, 80
— *bogotensis*, 77
Ancylotrypa nuda, 277
— *zuluensis*, 277
andicola, Viracucha, 68, 69, 79, 80
andrewsi, Ctenus, 75
andrewsi, Phoneutria, 75
Androctonus, 177
— *americus*, 180
— *australis*, 177
— *funestus*, 177
Anelosimus aulicus, 114
— *vittatus*, 114, 188
anguina, Belippo, 315
anguineus, Araeoncus, 112, 116
angulatus, Araneus, 121, 186
angulatus, Episinus, 114
angulatus, Lepthyphantes, 187
angulatus, Oryphantes, 187
angulipalpis, Lepthyphantes, 111, 117
Anguliphantes dybowskii, 90
— *karpinskii*, 90
angustiarum, Cybaeus, 126
angusticollis, Bocus, 338, 339
angustifrons, Echemus, 129
annulata, Tegenaria, 112
annulatus, Lepthyphantes, 117
annulipes, Mesiotelus, 111, 127
anoplus, Coelotes, 112
antica, Walckenaeria, 120, 294
antipodiana, Argyrodes, 45
Antistea elegans, 6, 7, 126, 290, 294
Antrohyphantes balcanicus, 116
— *rhodopensis*, 111, 116
— *rodopicus*, 111
— *sophianus*, 111, 116
Anyphaena, 47
— *accentuata*, 46–48, 127
— *alboirrorata*, 47
— *furva*, 46–48
— *numida*, 47
— *pontica*, 46–48
— *sabina*, 47, 127
Anyphops alticola, 277
— *stauntoni*, 277
aperta, Agelenopsis, 95

aphana, Ero, 114, 187
Aphantaulax, 187, 189
— *seminigra*, 128
Aphonopelma californicum, 108, 157
— *chalcodes*, 156, 331
— *echinum*, 156
— *hentzi*, 95, 153–157, 273, 284, 285, 331, 332
— *stygia*, 374
apicatus, Oedothorax, 4, 6, 7, 119, 288–290, 292, 294
Apochinomma formicaeforme, 277
Apostenus fuscus, 127
apricorum, Zelotes, 130
aquatica, Argyroneta, 126, 159
aquilonia, Hilaira, 161
aquilonia, Sciastes, 161
aquytabuera, Anapistula, 326–329
Araeoncus, 88
— *anguineus*, 112, 116
— *clivifrons*, 116
— *crassiceps*, 112, 116, 294
— *humilis*, 4, 6, 7, 116
Araniella alpica, 121
— *cucurbitina*, 6, 7, 121
— *displicata*, 121
— *inconspicua*, 121
— *opisthographa*, 4, 121
— *proxima*, 121
Araneus, 49–52, 55, 56
— *alsine*, 121
— *angulatus*, 121, 186
— *bicentenarius*, 50–52, 55
— *carbonarius*, 112
— *cingulatus*, 50–52
— *circe*, 121
— *diadematus*, 4, 49–51, 54–56, 121
— *grossus*, 121
— *iviei*, 50, 51, 54, 55
— *marmoreus*, 50–52, 54–56, 121
— *miniatus*, 50–52
— *nigroquadratus*, 276, 277
— *nordmanni*, 50–56, 121
— *pegnia*, 50–52
— *pratensis*, 50, 51, 54–56
— *quadratus*, 121
— *riloensis*, 110, 111
— *saevus*, 121
— *sturmi*, 121
— *trifolium*, 49–52, 54–56
— *triguttatus*, 121
— *v-insignitus*, 249
Archaeodictyna ammophila, 126
Archaraeoncus, 88
— *prospiciens*, 116
arciger, Pellenes, 134
arctica, Erigone, 112
Arctilaira, 162
Arctosa cinerea, 3–7, 123, 290, 292, 294
— *figurata*, 123
— *insignita*, 163
— *kozarovi*, 111, 183
— *leopardus*, 112, 123, 294
— *lutetiana*, 123
— *maculata*, 4, 123
— *perita*, 123, 294
— *stigmosa*, 123
— *tbilisiensis*, 111, 123, 183, 184
— *variana*, 108, 123
arcuata, Evarcha, 133
arenarius, Thanatus, 131
arenarius, Yllenus, 135
argaeica, Dysdera, 113
argaeica, Tegenaria, 111, 125
Argenna patula, 126
— *subnigra*, 126
argentata, Argiope, 13, 14
Argiope argentata, 13, 14
— *bruennichi*, 122
— *lobata*, 122
argyrodes, Argyrodes, 345
Argyrodes antipodiana, 45
— *argyrodes*, 345
Argyroneta aquatica, 126, 159
Ariadna natalis, 277
armida, Aculepeira, 121
armillata, Zora, 130
Artema, 151
arundinacea, Dictyna, 126
arundineti, Robertus, 115
Asemonea, 338
Asianellus, 254
— *festivus*, 133
— *leipoldae*, 253
asiatica, Dysdera, 113
asiaticum, Nenilinium, 91
asiaticus, Silometopoides, 88, 89
asiaticus, Silometopus, 88
Asiceratinops kolymensis, 84, 90
assimilis, Myrmarachne, 301
Asthenargoides kurenstchikovi, 84, 90
Asthenoctenus, 73
asturias, Charinus, 148
Athamas, 336, 338
atomaria, Ozyptila, 132
atra, Erigone, 2, 4–7, 117, 289–292, 294
atratus, Thanatus, 131, 376–381
Atreus obscurus, 180
atrica, Tegenaria, 125
atrica, Zygiella, 121
atrocaeruleus, Zelotes, 130
atropos, Coelotes, 127
atrox, Acanthoscurria, 397
Attus blandus, 250
— *fasciatus*, 264
— *hentzi*, 264
— *leopardus*, 264
Atypus affinis, 111
— *piceus*, 111
auberti, Centroctenus, 69, 79, 80
audax, Phidippus, 107, 153, 270, 272
audax, Xysticus, 17–24, 132
Augacephalus, 202–205, 218, 219, 223, 227
— *breyeri*, 214, 216, 218–221
— *junodi*, 203, 211, 218–222
aulicus, Anelosimus, 114
Aulonia albimana, 123
aurantiacus, Mesobolivar, 151, 152
aurantiacus, Zelotes, 130
auratus, Heliophanus, 133
aureolus, Philodromus, 131
aureonigra, Myrmarachne, 298, 313, 321–323
auritus, Trichoncus, 120, 413
aurocinctus, Bianor, 133
aussereri, Nomisia, 130
Austrachelas incertus, 277
australis, Androctonus, 177
australis, Buthus, 177
australis, Hippasa, 277
australis, Scorpio, 176, 177
Avicularia, 395–398
— *avicularia*, 396, 397
— *versicolor*, 396–398
avicularia, Avicularia, 396, 397
ayri, Anapistula, 324, 325, 328, 329

babori, Harpactea, 113
babunaensis, Echemus, 110, 111
babunaensis, Zelotes, 130
bacelarae, Zodarion, 388–390, 392, 393
badia, Gnaphosa, 129
bahiensis, Phoneutria, 69, 71, 75–80
baicalensis, Pelecopsis, 86, 87, 90
baikalensis, Typhochrestoides, 91
balcanicus, Antrohyphantes, 116
balkanus, Cybaeus, 126
Ballus chalybeius, 133
— *rufipes*, 413
barbatus, Diplocephalus, 89, 90
barbatus, Trachyzelotes, 130
barbipes, Alopecosa, 242, 243
barbipes, Saitis, 111, 112, 134
Baryphyma pratense, 294
— *trifrons*, 294
Bathylinyphia, 84
— *maior*, 84, 85, 90
— *major*, 84, 85
Bathyphantes, 84
— *eumenis*, 90
— *gracilis*, 4, 6, 7, 116, 289, 290, 294
— *japonicus*, 84
— *maior*, 84
— *nigrinus*, 4, 6, 7, 116, 187, 294
— *parvulus*, 86, 90, 294
— *setiger*, 90
bavarica, Segestria, 113
bebuia, Anapistula, 328, 329
belgranoi, Lyssomanes, 423
Belippo, 297, 315, 322
— *anguina*, 315
bellicosus, Rugathodes, 115
beltanoae, Oltacloea, 333, 334
benderi, Lyssomanes, 415, 416, 418
benina, Copa, 277
Berlandina cinerea, 129
— *nubivaga*, 129
berolinensis, Leptorchestes, 134, 188
beroni, Nesticus, 114
beroni, Protoleptoneta, 112
betteni, Theridion, 112, 115
Bianor aurocinctus, 133
biarmatus, Olios, 277
bicentenarius, Araneus, 50–52, 55
bicolor, Centromerita, 116
bicolor, Gnaphosa, 129
bicolor, Marilynia, 126
bidentata, Diplocentria, 187
bifasciata, Pardosa, 123
bifasciatus, Xysticus, 132, 294
bifrons, Dismodicus, 91, 117, 294
bimaculata, Neottiura, 115, 188
bimaculatum, Theridion, 188
biovatus, Thyreosthenius, 120
bipunctata, Steatoda, 115, 294
Birgerius, 86
— *microps*, 86
— *triangulus*, 86
biscissa, Tapinocyba, 120
biseratensis, Myrmarachne, 298, 309, 317
bistriata, Eriophora, 16
bitaeniatus, Lyssomanes, 417
bithyniae, Tegenaria, 125
bitolensis, Prosthesima, 110, 111
bituberculata, Gibbaranea, 122, 186
bituberculatum, Hypomma, 6, 7, 91, 290, 294
blackwalli, Ozyptila, 132
blackwalli, Scotophaeus, 130
blackwalli, Theridion, 115
blanda, Pardosa, 123
blandus, Aelurillus, 250
blandus, Attus, 250
Blechroscelis, 151
— *cyaneus*, 151
blondi, Theraphosa, 397
Bocus, 335, 338
— *angusticollis*, 338, 339
— *excelsus*, 338
— *philippinensis*, 338
bogotensis, Ancylometes, 77
boitanii, Tegenaria, 125
boliviensis, Ctenus, 74
boliviensis, Phoneutria, 69, 71, 73, 74, 77–80
Bolyphantes alticeps, 116
— *luteolus*, 116, 294
bonessi, Silometopus, 120
bonneti, Xysticus, 132
borea, Savignia, 88
borneensis, Agorius, 139–141
bosselaersi, Larca, 280–282
bothai, Oxyopes, 277
Bothriopterna, 88
bourneti, Meta, 120
braccatus, Phaeocedus, 130
Brachionopus, 201, 203, 204
— *robustus*, 277
Brachythele denieri, 111

brasiliana, Symphytognatha, 324
bresnieri, Phlegra, 134
Brettus, 338, 340
brevipes, Ceratinella, 91, 116, 268, 294
brevipes, Clubiona, 128
brevipes, Ozyptila, 132
brevis, Ceratinella, 116, 268, 294
brevispinus, Coelotes, 127
brevivulvatus, Centromerus, 116
breyeri, Augacephalus, 214, 216, 218–221
breyeri, Pterinochilus, 201, 218, 219
Brotheas, 177
— *maurus*, 177
bruennichi, Argiope, 122
brunelli, Pterinochilus, 206
brunellii, Pterinochilus, 201, 206, 207
brunnea, Agroeca, 127
bryantae, Lyssomanes, 420, 423
bulgarianus, Centromerus, 116
bulgarica, Pardosa, 111
bulgarica, Protoleptoneta, 112
Bureschi, Troglohyphantes, 111
bureschianus, Troglohyphantes, 120
Buthus australis, 177
— *europaeus*, 179, 180
— *occitanus*, 179, 180
— *palmatus*, 176, 177
— *reticulatus*, 178
buxi, Philodromus, 131
byzantinus, Lepthyphantes, 117

caementaria, Nemesia, 112
caerulescens, Clubiona, 128
calceatum, Stromatopelma, 406, 411
californicum, Aphonopelma, 108, 157
callidus, Zelotes, 130
Callilepis concolor, 129
— *cretica*, 129
— *nocturna*, 129
— *schuszteri*, 129
Callobius claustrarius, 126
— *claustrarius balcanicus*, 126
Caloctenus, 67, 78
cambridgei, Mesobolivar, 152
Camillina cordifera, 277
campestris, Tegenaria, 125, 186
canaliculata, Hilaira, 161, 163
canaliculatum, Gongylidium, 161
canaliculatus, Soudinus, 161
canestrinii, Dasumia, 113
canestrinii, Marpissa, 134
caperatus, Xysticus, 132
capito, Walckenaeria, 120
capra, Erigone, 112
capra var. *oblitum, Erigone*, 112
capucinus, Centromerus, 116
carbonarius, Araneus, 112
Carepalxis, 359
carinatus, Opisthophthalmus, 39
carmeli, Setaphis, 130
carminans, Nemesia, 113
carnivorus, Pterinochilus, 201, 206, 207
carolinensis, Hogna, 284, 285, 399–403
carolinensis, Lycosa, 399, 402
carpathicus, Euscorpius, 177–179, 233
carpathicus, Scorpio, 176–179
carpatica, Pocadicnemis, 187
carpenteri, Macrargus, 118
Carrhotus, 338
— *xanthogramma*, 133, 188
caryaporum, Opisthacanthus, 233
castanea, Steatoda, 115
Castianeira fulvipes, 277
caucasius, Zelotes, 130
caudata, Ischnothele, 13–16
caudata, Textrix, 126
cauta, Agyneta, 116
cavernarum, Centromerus, 116
Caviphantes saxetorum, 3, 4, 6, 7
celans, Scotina, 127
cellulanus, Nesticus, 4, 114, 294
Centroctenus, 79
— *auberti*, 69, 79, 80
— *ocelliventer*, 69, 79, 80
Centromerita bicolor, 116
— *concinna*, 294
centromeroides, Lepthyphantes, 111, 117
Centromerus brevivulvatus, 116
— *bulgarianus*, 116
— *capucinus*, 116
— *cavernarum*, 116
— *clarus*, 91
— *incilium*, 4, 116
— *lakatnikensis*, 116
— *microps*, 86
— *milleri*, 116
— *pabulator*, 116
— *prudens*, 111, 116
— *semiater*, 116
— *serratus*, 116
— *silvicola*, 116
— *sylvaticus*, 4, 6, 7, 116
— *sylvaticus paucidentatus*, 116
— *valkanovi*, 116
Centruroides exsul, 180
— *sculpuratus*, 233, 235
— *vittatus*, 233, 235
Cepheia longiseta, 361
ceplaci, Lyssomanes, 424
Ceraticelus orientalis, 91
Ceratinella, 268
— *brevipes*, 91, 116, 268, 294
— *brevis*, 116, 268, 294
— *major*, 116
— *oculatissima*, 267, 268
— *scabrosa*, 116, 268
— *wideri*, 268
Ceratinopsis interventa, 89
— *romana*, 4, 116
Ceratogyrus, 201–205, 218, 223
— *darlingi*, 223
ceratopygus, Acrographinotus, 59, 62–64
ceratopygus, Ctatoproceros, 59, 62, 63
Cercidia prominens, 122
ceropegia, Aculepeira, 121
cervinus, Cratorrhagus, 367
cervinus, Hemirrhagus, 365–367, 373–375, 395
cespitum, Philodromus, 112, 131, 188
Cetonana laticeps, 128
Chactas maurus, 177
chalcodes, Aphonopelma, 156, 331
Chalcoscirtus infimus, 133
chalybeius, Ballus, 133
chamberlini, Larca, 282
Charinus asturias, 148
Charminus ambiguus, 277
Cheiracanthium elegans, 127
— *erraticum*, 127
— *macedonicum*, 127
— *margaritae*, 127
— *mildei*, 127
— *oncognathum*, 128
— *pelasgicum*, 128
— *pennyi*, 128
— *punctorium*, 128
— *seidlitzi*, 128
— *virescens*, 128
chilango, Hemirrhagus, 366–368, 371, 373–375
chilesicus, Ctenus, 74
Chinoscopus, 415
— *maculipes*, 415, 416
chordata, Harpactira, 201, 206, 211, 212, 227
chordatus, Pterinochilus, 203, 205–209, 216, 217
chrysops, Philaeus, 134
cicur, Cicurina, 126
Cicurina cicur, 126
cinerea, Arctosa, 3–7, 123, 290, 292, 294
cinerea, Berlandina, 129
Cinetata gradata, 116
cingulatus, Araneus, 50–52
cingulatus, Salticus, 134
cinnaberinus, Eresus, 114, 413
circe, Araneus, 121
Citharischius, 204, 410
cito, Trichopterna, 120, 413
citricola, Cyrtophora, 345, 350, 353
civica, Dictyna, 126
clarus, Centromerus, 91
clathrata, Neriene, 119, 289–292, 294
claustrarius, Callobius, 126
claustrarius balcanicus, Callobius, 126
claveata, Ozyptila, 132
clercki, Pachygnatha, 6, 7, 121, 289–292, 294
clerckoides, Pachygnatha, 121
clivicola, Zelotes, 130
clivifrons, Araeoncus, 116
Clubiona, 112
— *alpicola*, 128
— *brevipes*, 128
— *caerulescens*, 128
— *comta*, 128, 290, 293
— *corticalis*, 128
— *diversa*, 128
— *frisia*, 32
— *frutetorum*, 128
— *genevensis*, 128
— *germanica*, 128, 187
— *hilaris*, 112
— *juvenis*, 128
— *leucaspis*, 128
— *lutescens*, 128, 293
— *marmorata*, 128
— *neglecta*, 4, 32–34, 112, 128, 293
— *pallidula*, 128
— *phragmitis*, 128, 187
— *pseudoneglecta*, 32–34, 112, 128, 187
— *reclusa*, 290, 293
— *saxatilis*, 128
— *similis*, 3, 4, 6, 7, 32, 128
— *subsultans*, 128
— *subtilis*, 128, 293
— *terrestris*, 128
— *trivialis*, 4, 6, 7, 128, 293
— *vegeta*, 128
Cnephalocotes curtus, 268
— *dentiger*, 267, 268
— *obscurus*, 91
— *ophthalmicus*, 267, 268
coarctata, Lycosoides, 125
Coelogenium, 201, 202, 206
— *hillyardi*, 202
— *nigrifemur*, 202, 220, 221
— *pillansi*, 201, 202
— *raveni*, 202, 206–208
Coelotes anoplus, 112
— *atropos*, 127
— *brevispinus*, 127
— *deltshevi*, 127
— *drenskii*, 127
— *falciger*, 127
— *inermis*, 127
— *jurinitschi*, 111, 127
— *karlinskii*, 127
— *kulczynskii*, 127
— *longispinus*, 127
— *microlepidus*, 127
— *pabulator*, 112, 127
— *pastor pirinicus*, 111
— *poweri*, 112
— *terrestris*, 4, 6, 7, 15, 127
cognatus, Haplodrassus, 129
Collinsia distincta, 6, 7
— *submissa*, 91
collinus, Megalepthyphantes, 118
collinus, Philodromus, 6, 7, 131
columbiana, Phoneutria, 74
Comaroma ressenensis, 110, 111
Compsobuthus schmiedeknichti, 233, 235
— *werneri judaicus*, 233–235
comta, Clubiona, 128, 290, 293
Concavocephalus rubens, 91
concinna, Centromerita, 294
concolor, Aelurillus, 249

concolor, Callilepis, 129
concolor, Diplostyla, 6, 7, 117, 290, 294
confluens, Oxyptila, 132
confucius, Mesobuthus, 233, 235
confusus, Salticus, 134
congenera, Entelecara, 91
conica, Cyclosa, 110, 111, 122
connectens, Diplocephalus, 112
conostyla, Ozyptila, 132
conspersus, Stemonyphantes, 91
conspicua, Poecilochroa, 130
constellatus, Philodromus, 112
constricta, Harpactira, 201, 227, 229
constrictus, Eucratoscelus, 211, 227–229
constrictus, Pterinochilus, 201, 202, 206, 211, 212, 216, 227, 228
convexa, Dipoena, 114
convexum, Porrhomma, 4, 6, 7, 119, 294
convexus, Lyssomanes, 417
Copa, 277
— *benina*, 277
Coprocossa, 338
cor, Xysticus, 132
coracina, Dipoena, 114
cordifera, Camillina, 277
Coriarachne depressa, 131
Corinoctenus, 67, 79, 80
cornuta, Craspedisia, 383
cornuta, Myrmarachne, 298, 300, 304–306
cornuta, Opopaea, 248
cornutum, Hypomma, 117
cornutum, Theridion, 111
cornutus, Larinioides, 122, 186
cornutus, Neobrettus, 340, 342, 343
corrugis, Hybocoptus, 112
corticalis, Clubiona, 128
Cosmophasis, 338
coxalis, Ctenus, 69, 79, 80
coztic, Hemirrhagus, 366–368, 373, 374
Craspedisia, 383
— *cornuta*, 383
— *longioembolia*, 383
— *spatulata*, 383
crassiceps, Araeoncus, 112, 116, 294
crassilobus, Diplocephalus, 117
crassipalpis, Pardosa, 277
crassipes, Schizocosa, 95
crassispana, Pterinochilus, 223
crassispina, Pterinochilus, 223
crassispinus, Heriaeus, 277, 278
crassispinus, Pterinochilus, 201, 223–225
Cratorrhagus cervinus, 367
Cresmatoneta mutinensis, 116
cretensis, Aelurillus, 250, 251, 254
cretica, Callilepis, 129
cretonatus, Lasiochernes, 282
cribrata, Pardosa, 123
cristatus, Diplocephalus, 4, 6, 7, 112, 117, 187, 289, 290, 294
cristatus, Lepthyphantes, 117
cristatus, Xysticus, 17–24, 132, 288–292, 294
croatica, Dipoena, 114
crocata, Dysdera, 113
Crossopriza, 345–354
Crozetulus, 171, 174
— *rhodesiensis*, 171–175
— *scutatus*, 171
crucifer, Lepthyphantes, 118
crulsi, Ctenus, 69, 79, 80
Crustulina guttata, 114
— *sticta*, 114
Cryphoeca pirini, 126
— *silvicola*, 4, 126, 294
Crypsidromus pernix, 374
Ctatoproceros, 58, 59, 63
— *ceratopygus*, 59, 62, 63
Ctenolophus pectinipalpis, 277
Ctenopsis, 67, 79, 80
Ctenus, 67, 68, 70, 77–80, 277
— *amphora*, 69, 79, 80
— *andrewsi*, 75
— *boliviensis*, 74
— *chilesicus*, 74
— *coxalis*, 69, 79, 80
— *crulsi*, 69, 79, 80
— *depilatus*, 74
— *dubius*, 67
— *ferus*, 67, 72
— *forcipatus*, 75
— *gulosus*, 276–278
— *inaja*, 69, 79, 80
— *keyserlingi*, 67, 72
— *longipes*, 69, 79, 80
— *luederwaldti*, 73
— *maculisternis*, 69, 79, 80
— *nigriventer*, 72, 74
— *nigriventroides*, 72, 74
— *paca*, 73
— *peregrinoides*, 74
— *peregrinus*, 74
— *pertyi*, 67, 72
— *pulchriventris*, 278
— *reidyi*, 75
— *rufibarbis*, 72
— *rufichelis*, 73
— *signativenter*, 74
— *sus*, 71
— *taeniatus*, 69, 79, 80
— *unilineatus*, 77
— *valdehirsutulus*, 74
— *velox*, 78
— *villasboasi*, 69, 79, 80
— *vividus*, 78
cucullata, Walckenaeria, 91, 120
cucurbitina, Araniella, 6, 7, 121
cultrigera, Zornella, 91, 268, 269
cuneata, Alopecosa, 122, 242, 243
cuneata, Myrmarachne, 298, 300, 309, 310, 313, 320, 321
Cupiennius salei, 13–15, 107, 153
cuprea, Agroeca, 127
cupreus, Drassodes, 129, 187, 288–293
cupreus, Heliophanus, 133, 188
Curimagua, 324
cursor, Alopecosa, 122
cursoria, Lycosa, 112
curtus, Cnephalocotes, 268
curtus, Silometopus, 268
curvipes, Harpactira, 220
curvispina, Acrographinotus, 58, 59, 62, 63, 66
cuspidata, Walckenaeria, 294
cyaneus, Blechroscelis, 151
cyaneus, Heterometrus, 178
cyaneus, Mesobolivar, 151, 152
cyaneus, Pholcus, 151
Cybaeus angustiarum, 126
— *balkanus*, 126
— *raymondi*, 189
— *tetricus*, 4
Cyclosa conica, 110, 111, 122
— *insulana*, 113
— *oculata*, 122
— *sierrae*, 122
— *strandjae*, 110, 111
Cydrela spinimana, 277
— *unguiculata*, 277
cygnea, Dolichognatha, 97
Cyphalonotus, 359
cyprius scopensis, Mesiotelus, 127
Cyrba, 338
— *algerina*, 133
— *tibialis*, 340
Cyrtocarenum lapidarium, 113
Cyrtopholis, 374
— *pernix*, 365, 366, 374
Cyrtophora, 97
— *citricola*, 345, 350, 353

Dactylopisthes video, 91
dahurianus, Thanatus, 380, 381
daitarensis, Myrmarachne, 298, 300, 301
dalmatensis, Haplodrassus, 129
dalmatica, Tegenaria, 125
dalmaticus, Synageles, 135
Damoetas, 308
darcheni, Macrothele, 12
darlingi, Ceratogyrus, 223
Dasumia amoena, 113
— *canestrinii*, 113
— *kusceri*, 113
dearmata, Tetragnatha, 111, 121
decipiens, Decipiphantes, 91
decipiens, Depreissia, 336–338, 344
Decipiphantes decipiens, 91
decora, Agyneta, 290, 294
decora, Phoneutria, 77
decolor, Lepthyphantes, 118
degeeri, Pachygnatha, 121, 288–290, 294
Deinopis longipes, 108
Delorrhipis fronticornis, 90
deltshevi, Coelotes, 127
deltshevi, Harpactea, 113
Dendryphantes flavicomis, 133
— *hastatus*, 133
— *rudis*, 133, 188
denieri, Brachythele, 111
dentatum, Gnathonarium, 4, 91, 117, 294
dentichelis, Lessertia, 118
denticulata, Textrix, 126
denticulatum, Theridion, 112
dentifera, Tegenaria, 112
dentiger, Cnephalocotes, 267, 268
dentigera, Euryopis, 112
dentipalpis, Erigone, 2, 4–7, 112, 117, 289, 290, 292, 294
depilata, Phoneutria, 74
depilatus, Ctenus, 74
Depreissia, 335, 336, 338
— *decipiens*, 336–338, 344
— *myrmex*, 336, 344
depressa, Coriarachne, 131
deserticola, Opopaea, 244
desidiosus, Xysticus, 132
Despirus montanus, 148
diadematus, Araneus, 4, 49–51, 54–56, 121
Diaea dorsata, 4, 6, 7, 131
— *livens*, 131
Dictyna arundinacea, 126
— *civica*, 126
— *latens*, 126
— *pusilla*, 126, 187
— *uncinata*, 126, 187
— *vicina*, 126
Dicymbium nigrum, 116, 294
— *tibiale*, 117, 289, 290, 294
digitatus, Typhochrestus, 120
dilatatus, Discocyrtus, 149
diodia, Zilla, 122
Diplocentria, 160, 161
— *bidentata*, 187
— *mediocris*, 3, 6, 7
— *perplexa*, 160, 161
Diplocephalus, 88, 90
— *altimontanus*, 117
— *barbatus*, 89, 90
— *connectens*, 112
— *crassilobus*, 117
— *cristatus*, 4, 6, 7, 112, 117, 187, 289, 290, 294
— *foraminifer*, 117
— *graecus*, 117
— *latifrons*, 4, 6, 7, 90, 117, 290, 294
— *marusiki*, 89, 90
— *montanus*, 89, 90
— *permixtus*, 117, 294
— *picinus*, 117
— *protuberans*, 117
— *subrostratus*, 91
Diplostyla, 84
— *concolor*, 6, 7, 117, 290, 294
Dipoena convexa, 114
— *coracina*, 114
— *croatica*, 114
— *inornata*, 114
— *melanogaster*, 114

— *torva*, 114, 188
Dippenaaria, 171
Discocyrtus, 144–149
— *dilatatus*, 149
— *oliverioi*, 144–149
— *pectinifemur*, 146, 149
— *prospicuus*, 149
Dismodicus bifrons, 91, 117, 294
— *elevatus*, 117
dispar, *Philodromus*, 131
displicata, *Araniella*, 121
distincta, *Collinsia*, 6, 7
distincta, *Pardosa*, 108
distinctus, *Halorates*, 294
diversa, *Clubiona*, 128
diversus, *Tibioplus*, 91
doblikae, *Harpactea*, 113
Dolichognatha, 97
— *cygnea*, 97
— *ducke*, 97
— *edwardsi*, 97
— *erwini*, 102, 103
— *kampa*, 99, 100
— *lodiculafaciens*, 97
— *mapia*, 97, 99–101
— *maturaca*, 97–101, 104
— *minuscula*, 97
— *nietneri*, 97
—*pentagona*, 97, 101, 103
— *pinheiral*, 102, 103
— *proserpina*, 97
— *quadrituberculata*, 97
— *spinosa*, 97
— *tigrina*, 97
Dolomedes fimbriatus, 125
— *plantarius*, 125
— *triton*, 170
dolosa, *Gnaphosa*, 129
domestica, *Tegenaria*, 112, 125
Donacochara speciosa, 117
dorsalis, *Kaestneria*, 91, 187
dorsata, *Diaea*, 4, 6, 7, 131
Drapetisca socialis, 117
Drassodes, 289
— *cupreus*, 129, 187, 288–293
— *lapidosus*, 111, 129
— *lutescens*, 129
— *pubescens*, 129
— *villosus*, 129
Drassus pirini, 111
Drassyllus lutetianus, 129
— *praeficus*, 129
— *pumilus*, 6, 7, 129
— *pusillus*, 129
— *villicus*, 129
drenskii, *Coelotes*, 127
drenskii, *Pardosa*, 123
drenskii, *Troglohyphantes*, 120
drenskyi, *Lepthyphantes*, 118
Drepanotylus pirinicus, 117
Dresserus obscurus, 277
dubius, *Ctenus*, 67
dubius, *Heliophanus*, 133
ducke, *Dolichognatha*, 97
durandi, *Uroctea*, 114
duriense, *Zodarion*, 388–390, 392, 393
dybowskii, *Anguliphantes*, 90
Dysdera argaeica, 113
— *asiatica*, 113
— *crocata*, 113
— *erythrina*, 113
— *hungarica*, 113
— *kollari*, 113
— *longirostris*, 113
— *ninnii*, 113
— *pectinata*, 113
— *richteri*, 113
— *taurica*, 113
— *westringi*, 113
Dysderocrates egregius, 113
dysderoides, *Walckenaeria*, 120
dzieduszyckii, *Sitticus*, 134

Echemus angustifrons, 129
— *babunaensis*, 110, 111
— *erutus*, 277
echinum, *Aphonopelma*, 156
ecuadoricus, *Lyssomanes*, 417, 418
edwardsi, *Dolichognatha*, 97
Efate, 141
egregius, *Dysderocrates*, 113
electus, *Zelotes*, 130
elegans, *Antistea*, 6, 7, 126, 290, 294
elegans, *Cheiracanthium*, 127
elegans, *Silometopus*, 268, 294
elegans, *Zodarion*, 112, 385, 394
elevata, *Harpactira*, 201, 211–213
elevatus, *Dismodicus*, 117
elevatus, *Pterinochilus*, 211, 212
elliotti, *Hemirrhagus*, 366, 367, 370, 372–374
elliotti, *Schizopelma*, 372
elliotti, *Spelopelma*, 365, 372
elongata, *Pelecopsis*, 119, 412, 413
emarginatus, *Philodromus*, 131
emphana, *Linyphia*, 295
emphana, *Neriene*, 119, 295, 296
emphana, *Prolinyphia*, 295
encarpatus, *Pseudicius*, 134
Enoploctenus, 78
Enoplognatha afrodite, 114
— *latimana*, 114, 188
— *mandibularis*, 114
— *mordax*, 114
— *oelandica*, 114
— *ovata*, 114
— *penelope*, 114
— *thoracica*, 114
Entelecara acuminata, 117
— *congenera*, 91
— *flavipes*, 117
— *media*, 117
— *sombra*, 91
Enyo alacris, 387
— *maculata*, 394
— *stylifera*, 391
Ephebopus, 395
Epibellowia pacifica, 91
episinoides, *Euryopis*, 115
Episinus angulatus, 114
— *maculipes*, 114, 188, 296
— *truncatus*, 115
equestris, *Meioneta*, 118
erberi, *Amaurobius*, 126
erebeus, *Zelotes*, 130
erectispina, *Acrographinotus*, 58–64, 66
eremita, *Nesticus*, 114
Eremobates marathoni, 237, 239, 240, 273
— *palpisetulosus*, 39, 285
Eresus cinnaberinus, 114, 413
— *walckenaeri*, 114
Erigone arctica, 112
— *atra*, 2, 4–7, 117, 289–292, 294
— *capra*, 112
— *capra* var. *oblitum*, 112
— *dentipalpis*, 2, 4–7, 112, 117, 289, 290, 292, 294
— *longipalpis*, 112
— *piechockii*, 91
— *pirini*, 112, 117
— *promiscua*, 294
— *remota*, 112
Erigonella hiemalis, 117
Erigonidium graminicola, 91
Erigonoplus sibiricus, 91
Eriophora bistriata, 16
Eris nidicolens, 188
Ero aphana, 114, 187
— *furcata*, 114, 159, 160, 294
— *tuberculata*, 114
eros, *Hemirrhagus*, 366, 367, 369, 370, 372–375
erratica, *Euophrys*, 133
erraticum, *Cheiracanthium*, 127
erraticus, *Xysticus*, 132
erutus, *Echemus*, 277

erwini, *Dolichognatha*, 102, 103
erythrina, *Dysdera*, 113
eskovi, *Savignia*, 88, 91
Estrandia grandaeva, 91
etrusca, *Alopecosa*, 122
Euathlus, 365, 366, 373, 374
Eucratoscelus, 201–205, 209, 218, 219, 223, 226–228
— *constrictus*, 211, 227–229
— *longiceps*, 201, 227–229
— *pachypus*, 202, 211, 227–230
— *tenuitibialis*, 202, 209, 227
Eugyndes, 148
eumenis, *Bathyphantes*, 90
Euophrys erratica, 133
— *frontalis*, 133
— *herbigrada*, 133
— *obsoleta*, 112, 133
— *pictilis*, 112
— *rufibarbis*, 133
europaeus, *Buthus*, 179, 180
europaeus, *Isometrus*, 179, 180
europaeus, *Scorpio*, 176, 178–180
europaeus, *Scorpius*, 179
Euryopis dentigera, 112
— *episinoides*, 115
— *flavomaculata*, 115
Euscorpius, 178, 179
— *carpathicus*, 177–179, 233
Euxinella strandi, 111
Evansia merens, 117
Evarcha arcuata, 133
— *falcata*, 133
— *jucunda*, 133, 188
— *laetabunda*, 133
excelsus, *Bocus*, 338
excisa, *Hilaira*, 117, 294
exiguus, *Zelotes*, 130
exornata, *Nomisia*, 130
experta, *Tallusia*, 120
exsul, *Centruroides*, 180
extensa, *Tetragnatha*, 121
extraneum, *Zodarion*, 389

fabrilis, *Alopecosa*, 122, 187
falcata, *Evarcha*, 133
falciger, *Coelotes*, 127
fallax, *Philodromus*, 131
falsificus, *Menemerus*, 134
familiare, *Theridion*, 113
fasciata, *Phlegra*, 134, 264–266
fasciatus, *Aelurops*, 264
fasciatus, *Attus*, 264
fatrensis, *Trichopterna*, 88
femineus, *Leptodrassus*, 129
fenestralis, *Amaurobius*, 126
fera, *Phoneutria*, 67, 69, 71, 73, 75–80
ferox, *Amaurobius*, 126
ferruginea, *Pardosa*, 123
ferruginea, *Tegenaria*, 125
ferrugineus, *Xysticus*, 24
ferus, *Ctenus*, 67, 72
festiva, *Leucauge*, 276, 277
festivus, *Asianellus*, 133
festivus, *Phrurolithus*, 6, 7, 127
figurata, *Arctosa*, 123
Filistata insidiatrix, 112, 187
fimbriatus, *Dolomedes*, 125
firmetorum, *Thanatus*, 376–381
fissocornis, *Sauron*, 88
flavescens, *Maro*, 91
flavescens, *Nigma*, 126
flavicomis, *Dendryphantes*, 133
flavidus, *Hyptiotes*, 111, 114
flavidus, *Thanatus*, 131
flavipes, *Entelecara*, 117
flavipes, *Heliophanus*, 133, 294
flavipes, *Lepthyphantes*, 112, 118
flavipes var. *nigripes*, *Heliophanus*, 110, 111
flavomaculata, *Euryopis*, 115
flavomaculata, *Lycosoides*, 125
florentina, *Segestria*, 113, 188

floriana, Lepthyphantes, 118
floricola, Sitticus, 134, 188
foraminifer, Diplocephalus, 117
forcipatus, Ctenus, 75
formicaeforme, Apochinomma, 277
formicaria, Micaria, 129, 187
formicaria, Myrmarachne, 6, 7, 134, 298
formicinus, Thanatus, 131
forskali, Hoplopholcus, 112
fosuma, Opopaea, 244–248
foveata, Micaria, 269
foveolata, Opopaea, 244
fraudatrix, Walckenaeria, 91
frigidus, Lepthyphantes, 112
frisia, Clubiona, 32
frivaldszkyi, Robertus, 115
frontalis, Euophrys, 133
frontata, Savignia, 294
fronticornis, Delorrhipis, 90
Frontinellina frutetorum, 117
frutetorum, Clubiona, 128
frutetorum, Frontinellina, 117
fulgens, Micaria, 129
fulvipes, Castianeira, 277
funerea, Micaria, 129
funestus, Androctonus, 177
funestus, Prionurus, 177
furcata, Ero, 114, 159, 160, 294
furcillata, Walckenaeria, 120
furtiva, Neriene, 119, 187
furva, Anyphaena, 46–48
fuscipalpa, Meioneta, 10–12, 119
fuscipalpis, Ischnyphantes, 10
fuscipalpis, Meioneta, 10
fuscipalpis, Micryphantes, 10
fuscipalpus, Micryphantes, 10
fuscipes, Monocephalus, 290, 294
fuscomarginatum, Pseudogonatium, 267–269
fuscomarginatus, Philodromus, 131
fuscum, Zodarion, 385
fuscus, Apostenus, 127
fuscus, Oedothorax, 5–7, 119, 289, 290, 294

gabrieli, Xenodendrophila, 405–407
gallicum, Zodarion, 112
gallicus, Maso, 118
gallicus, Xysticus, 132
gallicus, Zelotes, 196–198
Gamasomorpha loricatula, 114
gaucho, Loxosceles, 41–44
gedongensis, Myrmarachne, 298, 300, 308, 309
gemmosum, Theridiosoma, 116, 188
genevensis, Clubiona, 128
Gephyroctenus, 78
germanica, Clubiona, 128, 187
germanicum, Zodarion, 112
gertschi, Hemirrhagus, 366, 370–374
gertschi, Hypochilus, 352
geticum, Zodarion, 128
Gibbaranea bituberculata, 122, 186
— *gibbosa*, 122
— *omoeda*, 122
— *ullrichi*, 122
gibbifer, Oedothorax, 119
gibbosa, Gibbaranea, 122
gibbosa, Hilaira, 91
gibbosa, Mysmena, 361
gibbosus, Oedothorax, 6, 7, 199, 294
gibbum, Pholcomma, 115
Gibothorax, 160
giganteus, Mastigoproctus, 35, 37–39, 93–96
glacialis, Oreonetides, 119
glaucinus, Philodromus, 131
Globignatha, 324
— *rohri*, 324
globosa, Myrmarachne, 315
globosum, Synema, 132
globosus, Pholcus, 151
globosus, Physocyclus, 151, 152
Gnaphosa badia, 129
— *bicolor*, 129
— *dolosa*, 129
— *leporina*, 129
— *lucifuga*, 129
— *lugubris*, 129
— *microps*, 129
— *modestior*, 129
— *moesta*, 129
— *montana*, 129
— *muscorum*, 129
— *opaca*, 129
— *rhenana*, 129
— *taurica*, 111, 129
Gnathonarium dentatum, 4, 91, 117, 294
— *suppositum*, 91
Gonatium hilare, 117
— *nemorivagum*, 117
— *orientale*, 117
— *paradoxum*, 117
— *rubellum*, 117, 294
— *rubens*, 91, 117, 294
Gongylidiellum latebricola, 117
— *murcidum*, 117
— *recurvum*, 269
Gongylidium canaliculatum, 161
— *rufipes*, 117, 289, 290, 294
— *unidentatum*, 160
gracilens, Agelena, 125
gracilipes, Agorius, 139
gracilis, Bathyphantes, 4, 6, 7, 116, 289, 290, 294
gracilis, Zelotes, 110, 111, 130
gradata, Cinetata, 116
graecum, Zodarion, 128
graecus, Diplocephalus, 117
graecus, Saitis, 134
graecus, Xysticus, 132
graminicola, Erigonidium, 91
graminicola, Heriaeus, 131
graminicola, Hylyphantes, 117
grammica, Runcinia, 132
Grammostola, 365, 366, 373, 374
— *actaeon*, 396, 397
grandaeva, Estrandia, 91
granulum, Trogloneta, 361
gregua, Zodarion, 385, 388
grieta, Hemirrhagus, 366, 367, 373, 374
grieta, Spelopelma, 373
grossa, Myrmarachne, 298, 311, 313–315, 322
grossa, Steatoda, 115
grossus, Araneus, 121
guadianense, Zodarion, 390, 392–394
gueorguievi, Lepthyphantes, 111
guianensis, Ischnothele, 12, 13
gulosa, Meioneta, 10, 11, 119
gulosus, Ctenus, 276–278
guttata, Crustulina, 114
guttatus, Mashonarus, 165–170
guttulata, Micaria, 130, 159
guyanensis, Ischnothele, 13
guyri, Anapistula, 326–329

hackmani, Trichoncus, 120
Hahnia nava, 126, 294, 413
— *ononidum*, 126
— *picta*, 126
— *pusilla*, 126
— *tabulicola*, 277
Halorates distinctus, 294
— *reprobus*, 111, 117
hamata, Singa, 122
hamiltoni, Harpactira, 227
hammeni, Neriene, 86, 91
hanoveria, Trephopoda, 277
Hapalopus pernix, 374
Hapalotremus, 366
Haplodrassus, 289
— *cognatus*, 129
— *dalmatensis*, 129
— *kulczynskii*, 129
— *minor*, 111, 129
— *signifer*, 129, 289, 290, 293
— *silvestris*, 129
— *umbratilis*, 129
Harmochirus, 338
Harpactea abantia, 113
— *babori*, 113
— *deltshevi*, 113
— *doblikae*, 113
— *hombergi*, 113
— *lepida*, 113
— *rubicunda*, 113
— *saeva*, 113
— *srednagora*, 113
— *strandjica*, 113
— *sturanyi*, 114
Harpactira, 201, 203–205, 218, 223, 226, 227, 410
— *chordata*, 201, 206, 211, 212, 227
— *constricta*, 201, 227, 229
— *curvipes*, 220
— *elevata*, 201, 211–213
— *hamiltoni*, 227
Harpactirella, 201, 203–205, 218, 223, 226, 227
hastatus, Dendryphantes, 133
Heliophanus aeneus, 133
— *auratus*, 133
— *cupreus*, 133, 188
— *dubius*, 133
— *flavipes*, 133, 294
— *flavipes* var. *nigripes*, 110, 111
— *kochii*, 133
— *lineiventris*, 133
— *melinus*, 133
— *patagiatus*, 6, 7, 133
— *rufithorax*, 133
— *simplex*, 133
— *tribulosus*, 134
helsdingeni, Oreonetides, 91
hemerobium, Theridion, 115
Hemirrhagus, 365–369, 371–375
— *cervinus*, 365–367, 373–375, 395
— *chilango*, 366–368, 371, 373–375
— *coztic*, 366–368, 373, 374
— *elliotti*, 366, 367, 370, 372–374
— *eros*, 366, 367, 369, 370, 372–375
— *gertschi*, 366, 370–374
— *grieta*, 366, 367, 373, 374
— *major*, 365, 366
— *mitchelli*, 366, 367, 373, 374
— *nahuanus*, 366, 367, 373–375
— *ocellatus*, 366–368, 371–374
— *papalotl*, 366, 367, 369, 370, 372–374
— *pernix*, 366–368, 373–375
— *peruvianus*, 365, 366
— *puebla*, 366, 367, 373–375
— *reddelli*, 366, 367, 373, 374
— *stygius*, 366, 367, 373, 374
Hemsenattus iranus, 249
hentzi, Aphonopelma, 95, 153–157, 273, 284, 285, 331, 332
hentzi, Attus, 264
hentzi, Phlegra, 264–266
herbigrada, Euophrys, 133
herbigradus, Micrargus, 199, 294
heri, Hypsosinga, 122, 186
Heriaeus, 189, 278
— *crassispinus*, 277, 278
— *graminicola*, 131
— *hirtus*, 131
— *melloteei*, 132
— *setiger*, 132
— *simoni*, 132
hermani, Zelotes, 130
Heterometrus, 178
— *cyaneus*, 178
— *indus*, 178
— *maurus*, 176, 177
— *palmatus*, 176, 177
— *spinifer*, 233
heterophthalmus, Oxyopes, 125, 187
Heteropoda, 189
Heteroscodra, 204, 405, 408–411

— *maculata*, 406, 411
hiemalis, *Erigonella*, 117
Hilaire aquilonia, 161
— *canaliculata*, 161, 163
— *excisa*, 117, 294
— *gibbosa*, 91
— *jamalensis*, 91
— *montigena*, 112, 117
— *pelikena*, 161, 162
— *ryabukhini*, 161
— *vexatrix*, 162
hilare, *Gonatium*, 117
hilaris, *Clubiona*, 112
hilarulus, *Synageles*, 135
hillyardi, *Coelogenium*, 202
hindei, *Pterinochilus*, 201, 211, 213
Hippasa australis, 277
hirsutipalpi, *Myrmarachne*, 298, 313, 319, 320, 322
hirsutus, *Lasiargus*, 86, 91
hirtus, *Heriaeus*, 131
hispanica, *Larca*, 281, 282
hispanica, *Trochosa*, 124
hispanicus, *Holocnemus*, 345, 352
hispidacoxa, *Myrmarachne*, 298, 311–313
Hispo, 338
Histopona luxurians, 125
— *myops*, 125
— *torpida*, 4, 125
— *tranteevi*, 125
histrio, *Philodromus*, 131
Hogna, 399
— *carolinensis*, 284, 285, 399–403
— *macedonica*, 110, 111
— *radiata*, 110, 111, 123
Holminaria, 86
— *sibirica*, 86
Holocnemus hispanicus, 345, 352
— *pluchei*, 112, 188, 345–347, 350–353
Holoversia nigra, 148
Homalopoltys, 359
hombergi, *Harpactea*, 113
Homoeomma, 365, 366, 373, 374
Homostola vulpecula, 277
Hoplopholcus forskali, 112
— *labyrinthi*, 113
hortensis, *Linyphia*, 118, 187
hortensis, *Pardosa*, 124
horvathi, *Yllenus*, 135
humilis, *Araeoncus*, 4, 6, 7, 116
hungarica, *Dysdera*, 113
Hybocoptus corrugis, 112
hygrophilus, *Pirata*, 6, 7, 124
Hyllus, 338
Hylyphantes graminicola, 117
— *nigritus*, 91
hyperboreus, *Trichoncus*, 91
Hypochilus gertschi, 352
— *thorelli*, 352
Hypomma bituberculatum, 6, 7, 91, 290, 294
— *cornutum*, 117
Hypselistes jacksoni, 91
— *semiflavus*, 91
Hypsosinga albovittata, 122
— *heri*, 122, 186
— *pygmaea*, 122
— *sanguinea*, 122
Hyptiotes flavidus, 111, 114
— *paradoxus*, 114
Hysterocrates, 204
— *scopulatus*, 212
— *vosseleri*, 212

Idiothele, 201–205, 218, 223, 225, 227
— *nigrofulva*, 206, 223–225
— *nigrofulvus*, 223
— *pluridentata*, 201, 209
— *pluridentatum*, 209–211
Ilhaia, 144–148
illepidus, *Poltys*, 355, 357, 359
imbecillus, *Thanatus*, 111, 131
imperator, *Pandinus*, 178, 233
impressum, *Theridion*, 111, 115
improbulus, *Lepthyphantes*, 118
improvisus, *Aelurillus*, 252, 253, 258
inaja, *Ctenus*, 69, 79, 80
incerta, *Pardosa*, 124
incerta, *Titanoeca*, 111, 127
incertus, *Austrachelas*, 277
Incestophantes incestus, 91
— *kochiellus*, 91
incestus, *Incestophantes*, 91
incilium, *Centromerus*, 4, 116
inconspicua, *Araniella*, 121
inconspicuus, *Panamomops*, 119
indicus, *Pandinus*, 178
indus, *Heterometrus*, 178
inermis, *Coelotes*, 127
inermis, *Tapinesthis*, 114
inerrans, *Milleriana*, 294
infimus, *Chalcoscirtus*, 133
inornata, *Dipoena*, 114
inquilina, *Alopecosa*, 122, 242, 243
insecta, *Tapinocyba*, 120
insidiatrix, *Filistata*, 112, 187
insignis, *Lepthyphantes*, 118
insignita, *Arctosa*, 163
insignita, *Tricca*, 163, 164
insulana, *Cyclosa*, 113
interventa, *Ceratinopsis*, 89
iranus, *Hemsenattus*, 249
Iridopelma, 396, 398
Ischnothele, 12
— *caudata*, 13–16
— *guianensis*, 12, 13
— *guyanensis*, 13
— *siemensi*, 12
Ischnyphantes fuscipalpis, 10
Isoctenus, 67, 68, 79, 80
Isometrus, 179
— *americanus*, 180
— *europaeus*, 179, 180
— *maculatus*, 178–180
istrianus, *Lepthyphantes*, 118
italica, *Larca*, 282, 283
italica, *Pardosa*, 124
italicum, *Zodarion*, 128
italicus, *Scorpio*, 179
Itatiaya, 68
iviei, *Araneus*, 50, 51, 54, 55
Ivielum sibiricum, 91
ixobolus, *Larinioides*, 122

jacksoni, *Hypselistes*, 91
jacksoni, *Lepthyphantes*, 118
jacksonoides, *Lepthyphantes*, 118
jamalensis, *Hilaira*, 91
janauari, *Lyssomanes*, 415, 416, 418
Janetschekia monodon, 3, 4, 6, 7
japonica, *Neolinyphia*, 85
japonica, *Neriene*, 85
japonicus, *Bathyphantes*, 84
jemineus, *Lyssomanes*, 418
jobi, *Mysmenella*, 361–363
jozefienae, *Zodarion*, 385, 386, 388–393
jucunda, *Evarcha*, 133, 188
jugorum, *Thanatus*, 380, 381
jugorum saturatior, *Thanatus*, 376, 378
juncea, *Pocadicnemis*, 119
junodi, *Augacephalus*, 203, 211, 218–222
junodi, *Pterinochilus*, 201, 202, 220, 221
jurinitschi, *Coelotes*, 111, 127
Jurinitschi var. *flavus*, *Amaurobius*, 111
Jurinitschi var. *niger*, *Amaurobius*, 111
juvenca, *Thyenula*, 277, 278
juvenis, *Clubiona*, 128

Kaestneria, 84
— *dorsalis*, 91, 187
— *pullata*, 91, 294
Kaira, 359
kampa, *Dolichognatha*, 99, 100
karlinskii, *Coelotes*, 127
karpinskii, *Anguliphantes*, 90
karpinskii, *Walckenaeria*, 91
kempelini, *Xysticus*, 132
keyserlingi, *Ctenus*, 67, 72
keyserlingi, *Phoneutria*, 73, 74
keyserlingi, *Lepthyphantes*, 111, 118
keyserlingi, *Zygiella*, 121
knorri, *Pirata*, 2, 4, 6–8, 124
kochi, *Walckenaeria*, 294
kochi, *Xysticus*, 132
kochiellus, *Incestophantes*, 91
kochii, *Heliophanus*, 133
kollari, *Dysdera*, 113
kolymensis, *Asiceratinops*, 84, 90
konstantinovi, *Tarentula*, 111
koponeni, *Silometopoides*, 88, 89
koponeni, *Silometopus*, 88
kozarovi, *Arctosa*, 111, 183
kratochvili, *Theonina*, 120
krausi, *Pelecopsis*, 119, 412–414
Kulczynskiellum, 269
kulczynskii, *Coelotes*, 112, 127
kulczynskii, *Haplodrassus*, 129
kulczynskii, *Lessertinella*, 6, 7
kulczynskii, *Pseudicius*, 134
kurentschikovi, *Asthenargoides*, 84, 90
kusceri, *Dasumia*, 113

labilis, *Zelotes*, 196, 199
labyrinthi, *Hoplopholcus*, 113
labyrinthica, *Agelena*, 125
laceyi, *Larca*, 282
Lachesis reticulata, 387
laeta, *Loxosceles*, 41
laetabunda, *Evarcha*, 133
laevigatus, *Mimetus*, 114
lakatnikensis, *Centromerus*, 116
lanatus, *Thanatus*, 380, 381
Langona, 166
lanigera, *Pseudeuophrys*, 188
lanio, *Xysticus*, 132
lapidarium, *Cyrtocarenum*, 113
lapidosus, *Drassodes*, 111, 129
Larca, 280–283
— *bosselaersi*, 280–282
— *chamberlini*, 282
— *hispanica*, 281, 282
— *italica*, 282, 283
— *laceyi*, 282
— *lata*, 281, 282
— *notha*, 282
laricetorum, *Lasiargus*, 86
Larinioides cornutus, 122, 186
— *ixobolus*, 122
— *patagiatus*, 122
— *sclopetarius*, 122, 186
— *suspicax*, 122, 186
Lasaeola tristis, 115
Lasiargus, 86
— *hirsutus*, 86, 91
— *laricetorum*, 86
— *pilipes*, 86, 91
— *zhui*, 86
Lasiochernes, 282
— *cretonatus*, 282
Lasiodora, 396, 397
lata, *Larca*, 281, 282
latebricola, *Gongylidiellum*, 117
latens, *Dictyna*, 126
lateralis, *Myrmarachne*, 298, 301, 303, 304
Lathys stigmatisata, 126
laticeps, *Cetonana*, 128
latifrons, *Diplocephalus*, 4, 6, 7, 90, 117, 290, 294
latimana, *Enoplognatha*, 114, 188
latitans, *Pirata*, 6, 7, 124
lativelum, *Porrhomma*, 119
latreillei, *Zelotes*, 4, 6, 7, 130, 290, 293
Latrodectus tredecimguttatus, 115
lehtineni, *Styloctetor*, 84, 89, 91
leipoldae, *Aelurillus*, 249, 251, 253–255, 259
leipoldae, *Asianellus*, 253
Leiurus quinquestriatus, 233

lemniscata, *Mecynogea*, 345
lena, *Opopaea*, 248
leopardus, *Arctosa*, 112, 123, 294
leopardus, *Attus*, 264
leopardus, *Phlegra*, 264
lepida, *Harpactea*, 113
leporina, *Gnaphosa*, 129
leprosus, *Lepthyphantes*, 118
Lepthyphantes alacris, 117
— *alutacius*, 117, 187
— *angulatus*, 187
— *angulipalpis*, 111, 117
— *annulatus*, 117
— *byzantinus*, 117
— *centromeroides*, 111, 117
— *cristatus*, 117
— *crucifer*, 118
— *decolor*, 118
— *drenskyi*, 118
— *flavipes*, 112, 118
— *floriana*, 118
— *frigidus*, 112
— *gueorguievi*, 111
— *improbulus*, 118
— *insignis*, 118
— *istrianus*, 118
— *jacksoni*, 118
— *jacksonoides*, 118
— *keyserlingi*, 111, 118
— *leprosus*, 118
— *lithoclasicola*, 112, 118
— *luteipes*, 91
— *mansuetus*, 118
— *mengei*, 118
— *monachus*, 113
— *nebulosus*, 112
— *nebulosus* var. *melanotus*, 112
— *notabilis*, 118
— *obscurus*, 118
— *pallidus*, 118, 294
— *pillichi*, 118
— *pinicola*, 118
— *pirini*, 111
— *pulcher*, 4, 6, 7, 118
— *quadrimaculatus*, 111, 118
— *rectilamellus*, 118
— *spelaeorum*, 111, 118
— *taczanowskii*, 91
— *tenebricola*, 6, 7, 118
— *tenuis*, 118, 290, 294
— *tranteevi*, 111
— *trnovensis*, 118
— *zimmermanni*, 118, 289, 290, 294
Leptodrassus femineus, 129
Leptorchestes, 336
— *berolinensis*, 134, 188
— *mutilloides*, 134
Leptorhoptrum robustum, 6, 7, 289, 290, 292, 294
Lessertia dentichelis, 118
Lessertinella kulczynskii, 6, 7
leucaspis, *Clubiona*, 128
Leucauge, 97
— *festiva*, 276, 277
leucoplagiata, *Mysmena*, 361–363
levis, *Neon*, 134
ligurina, *Micrommata*, 131
lineatipes, *Thanatus*, 131
lineatus, *Oxyopes*, 125, 187, 413
lineatus, *Stemonyphantes*, 120, 294
lineatus, *Xysticus*, 132
lineiventris, *Heliophanus*, 133
Linothele, 12
Linyphia, 85
— *emphana*, 295
— *hortensis*, 118, 187
— *phrygiana* var. *pirini*, 110, 111
— *tenuipalpis*, 413
— *triangularis*, 118, 290, 291, 294, 295
Liocranum rupicola, 127
— *rutilans*, 127
Liographinotus, 58, 59
— *ortizi*, 58, 59
listeri, *Pachygnatha*, 121
lithoclasicola, *Lepthyphantes*, 112, 118
litigiosa, *Neriene*, 296
livens, *Diaea*, 131
lividus, *Robertus*, 115, 289, 290, 294
lobata, *Argiope*, 122
lodiculafaciens, *Dolichognatha*, 97
loksai, *Pelecopsis*, 412–414
longibulbi, *Sickius*, 411
longiceps, *Eucratoscelus*, 201, 227–229
longidens, *Tapinopa*, 120
longioembolia, *Craspedisia*, 383
longipalpis, *Erigone*, 112
longipalpis, *Philodromus*, 131
longipes, *Ctenus*, 69, 79, 80
longipes, *Deinopis*, 108
longipes, *Zelotes*, 130
longirostris, *Dysdera*, 113
longiseta, *Cepheia*, 361
longispinosus, *Oxyopes*, 277
longispinus, *Coelotes*, 127
longjiangense, *Porrhomma*, 87, 88, 91
longjiangensis, *Porrhomma*, 87
Lophomma, 88
— *yodoensis*, 88
loricatula, *Gamasomorpha*, 114
loricatus, *Sosticus*, 130
Loxosceles, 41
— *gaucho*, 41–44
— *laeta*, 41
— *reclusa*, 41
— *unicolor*, 41, 44
lucifuga, *Gnaphosa*, 129
lucina, *Singa*, 122
luctator, *Xysticus*, 133
luctinosa, *Pardosa*, 124
luctuosus, *Xysticus*, 133
luederwaldti, *Ctenus*, 73
luederwaldti, *Phoneutria*, 73
lugardi, *Pterinochilus*, 201, 205, 207, 209–211, 216, 217, 227
lugubris, *Gnaphosa*, 129
lugubris, *Oxyptila*, 111, 132
lugubris, *Pardosa*, 6, 7, 124
lunata, *Achaearanea*, 114
lusitanicum, *Zodarion*, 386, 388–390, 392–394
lutea, *Zoropsis*, 125
luteipalpis, *Acrographinotus*, 58, 60
luteipes, *Lepthyphantes*, 91
luteolus, *Bolyphantes*, 116, 294
lutescens, *Clubiona*, 128, 293
lutescens, *Drassodes*, 129
lutetiana, *Arctosa*, 123
lutetianus, *Drassyllus*, 129
luxurians, *Histopona*, 125
Lychas americanus, 180
Lycosa, 277
— *carolinensis*, 399, 402
— *cursoria*, 112
— *narbonensis*, 113
— *podhorskii*, 112
— *praegrandis*, 123
— *punctulata*, 170
— *singoriensis*, 123
— *tarantula*, 113
— *vultuosa*, 123
— *wagleri*, 112
Lycosoides coarctata, 125
— *flavomaculata*, 125
lymphus, *Aelurillus*, 249
Lyssomanes, 415, 416, 420
— *amazonicus*, 415
— *belgranoi*, 423
— *benderi*, 415, 416, 418
— *bitaeniatus*, 417
— *bryantae*, 420, 423
— *ceplaci*, 424
— *convexus*, 417
— *ecaudoricus*, 417, 418
— *janauari*, 415, 416, 418
— *jemineus*, 418
— *malinche*, 420
— *mandibulatus*, 419
— *nigropictus*, 420
— *onkonensis*, 420, 421
— *pauper*, 424
— *pescadero*, 419
— *portoricensis*, 417
— *pseudobenderi*, 415, 416
— *remotus*, 424
— *romani*, 418, 420–422
— *santarem*, 420, 422
— *taczanowskii*, 420–422
— *tenuis*, 422
— *trinidadus*, 417, 422, 423
— *unicolor*, 423
— *velox*, 423
— *vinocurae*, 423
— *waorani*, 417, 424

Macaroeris nidicolens, 134, 188
macedonica, *Hogna*, 110, 111
macedonica, *Tarentula*, 110, 111
macedonicum, *Cheiracanthium*, 127
macedonicus, *Xysticus*, 17–24, 133
macellus, *Tibellus*, 131
machadoi, *Zodarion*, 385
Machadonia, 67
Macrargus carpenteri, 118
— *multesimus*, 91
— *rufus*, 118
macrophthalma, *Mastigusa*, 126
Macrothele darcheni, 12
maculata, *Arctosa*, 4, 123
maculata, *Enyo*, 394
maculata, *Heteroscodra*, 406, 411
maculatum, *Zodarion*, 385, 390, 394
maculatum, *Zodarium*, 394
maculatus, *Isometrus*, 178–180
maculatus, *Scorpio*, 180
maculatus, *Trachelas*, 128, 187
maculipes, *Chinoscopus*, 415, 416
maculipes, *Episinus*, 114, 188, 296
maculisternis, *Ctenus*, 69, 79, 80
maerens, *Tuberta*, 126
Maimuna vestita, 125
maior, *Bathylinyphia*, 84, 85, 90
maior, *Bathyphantes*, 84
major, *Bathylinyphia*, 84, 85
major, *Ceratinella*, 116
major, *Hemirrhagus*, 365, 366
major, *Neriene*, 84
malayana, *Myrmarachne*, 298, 313, 317, 318
malinche, *Lyssomanes*, 420
malkini, *Trachyzelotes*, 130
mamillatus, *Pterinochilus*, 201, 202, 211
mandibularis, *Enoplognatha*, 114
mandibulatus, *Lyssomanes*, 419
Mangora acalypha, 122
manicata, *Zora*, 130
mansuetus, *Lepthyphantes*, 118
mapia, *Dolichognatha*, 97, 99–101
marathoni, *Eremobates*, 237, 239, 240, 273
Marengo, 338
— *thomsoni*, 338
margaritae, *Cheiracanthium*, 127
margaritatus, *Philodromus*, 131
marginella, *Minicia*, 187
Marilynia bicolor, 126
maritima, *Agyneta*, 84
maritima, *Scytodes*, 277
maritimus, *Tibellus*, 131, 294
markaha, *Myrmarachne*, 301
marmorata, *Clubiona*, 128
marmoratus, *Xysticus*, 133
marmoreus, *Araneus*, 50–52, 54–56, 121
Maro flavescens, 91
Marpissa canestrinii, 134
— *muscosa*, 134
— *nivoyi*, 134, 188
— *pomatia*, 134
— *radiata*, 134

— *tenebrosa*, 249
marusiki, Aelurillus, 255, 256, 261
marusiki, Diplocephalus, 89, 90
marusiki, Parawubanoides, 91
Mashonarus, 165–167
— *guttatus*, 165–170
Maso gallicus, 118
— *sundevalli*, 91, 118
Mastigoproctus giganteus, 35, 37–39, 93–96
Mastigusa macrophthalma, 126
maturaca, Dolichognatha, 97–101, 104
maurus, Brotheas, 177
maurus, Chactas, 177
maurus, Heterometrus, 176, 177
maurus, Scorpio, 176, 177, 180
maurus maurus, Scorpio, 177
maxillosa, Myrmarachne, 322, 323
Mecopisthes, 268
— *peusi*, 118
Mecynargus paetulus, 118
Mecynogea lemniscata, 345
media, Entelecara, 117
mediocris, Diplocentria, 3, 6, 7
mediocris, Prosthesima, 360
mediocris, Zelotes, 196–198, 360
mediterraneus, Robertus, 115
Medmassa nitida, 277
Megalepthyphantes collinus, 118
— *nebulosus*, 118
Meioneta, 10, 269
— *alaskensis*, 84
— *equestris*, 118
— *fuscipalpa*, 10–12, 119
— *fuscipalpis*, 10
— *gulosa*, 10, 11, 119
— *rurestris*, 4, 6, 7, 10, 11, 112, 119, 269
— *saxatilis*, 294
— *simplicitarsis*, 119
melanocephala, Myrmarachne, 298
melanogaster, Dipoena, 114
Melanophora, 360
melanopygius, Ostearius, 119
melanurum, Theridion, 112, 115
melinus, Heliophanus, 133
melloteei, Heriaeus, 132
menardi, Meta, 120
Menemerus falsificus, 134
— *semilimbatus*, 134, 188
— *taeniatus*, 134
mengei, Lepthyphantes, 118
mengei, Metellina, 120, 294
mengei, Pelecopsis, 6, 7, 294
mengei, Tenuiphantes, 91
merens, Evansia, 117
merianae, Metellina, 120
meridionalis, Pterinochilus, 201, 202, 216
meridionalis, Steatoda, 115
merlijni, Zodarion, 390, 392, 393
meronensis, Thanatus, 131
Mesiotelus annulipes, 111, 127
— *cyprius scopensis*, 127
— *tenuissimus*, 127
Mesobolivar, 151
— *aurantiacus*, 151, 152
— *cambridgei*, 152
— *cyaneus*, 151, 152
— *rubristernus*, 151, 152
Mesobuthus confucius, 233, 235
Meta bourneti, 120
— *menardi*, 120
Metellina mengei, 120, 294
— *merianae*, 120
— *segmentata*, 120
Metopobactrus, 89, 269
— *orbelicus*, 119
— *pilipes*, 86
— *rayi*, 88, 119
— *tibialis*, 89
— *triangulatus*, 267, 269
Micaria aenea, 129, 269
— *albimana*, 129
— *formicaria*, 129, 187
— *foveata*, 269
— *fulgens*, 129
— *funerea*, 129
— *guttulata*, 130, 159
— *milleri*, 111
— *norvegica*, 269
— *pulicaria*, 6, 7, 130, 290, 293
— *romana*, 130
— *rossica*, 130
— *septempunctata*, 111, 130
— *silesiaca*, 130
— *sociabilis*, 130
— *subopaca*, 130
Micrargus herbigradus, 119, 294
— *subaequalis*, 119
Micrathena, 355
Microcentria, 160
Microctenonyx subitaneus, 119
Microctenus, 67
Microheros termitophagus, 165, 169, 170
microlepidus, Coelotes, 127
Microlinyphia pusilla, 91, 119, 290, 294
Micrommata ligurina, 131
— *virescens*, 131
Microneta viaria, 91, 119
microphthalmum, Porrhomma, 119
microps, Birgerius, 86
microps, Centromerus, 86
microps, Gnaphosa, 129
Microstigmata zuluense, 277
Micryphantes, 10
— *fuscipalpis*, 10
— *fuscipalpus*, 10
— *rurestris*, 269
mildei, Cheiracanthium, 127
milleri, Centromerus, 116
milleri, Micaria, 111
Milleriana inerrans, 294
Mimetus laevigatus, 114
miniata, Xerolycosa, 125
miniatus, Araneus, 50–52
Minicia marginella, 187
minimontanus, Aelurillus, 257, 258
minimus, Phrurolithus, 6, 7
minor, Haplodrassus, 111, 129
minuscula, Dolichognatha, 97
minutus, Aelurillus, 253, 258, 259
Minyriolus pampia, 88
— *pusillus*, 91, 119
mirabilis, Pisaura, 125
Misumena vatia, 132
Misumenops tricuspidatus, 132, 189
mitchelli, Hemirrhagus, 366, 367, 373, 374
mitchelli, Spelopelma, 373
mitis, Tapinocyba, 120
mitrata, Walckenaeria, 120
mixta, Pardosa, 124
m-nigrum, Aelurillus, 249, 251, 253, 254, 259, 260
modestior, Gnaphosa, 129
Modisimus, 345, 352, 353
Moebelia penicillata, 119
moesta, Gnaphosa, 129
monachus, Lepthyphantes, 113
mongolensis, Silometopoides, 88, 89
Monocephalus fuscipes, 290, 294
monoceros, Walckenaeria, 120
monodon, Janetschekia, 3, 4, 6, 7
montana, Gnaphosa, 129
montana, Neriene, 119
montana, Tegenaria, 112, 125
montana, Tetragnatha, 121
montana, Zygiella, 121
montanus, Despirus, 148
montanus, Diplocephalus, 89, 90
monticola, Pardosa, 124
monticola, Talavera, 135
montigena, Hilaira, 112, 117
mordax, Enoplognatha, 114
morosa, Pardosa, 111, 124
morosum, Zodarion, 128
multesimus, Macrargus, 91
murcidum, Gongylidiellum, 117
murinus, Pterinochilus, 201, 203, 205–207, 209, 211–214, 216, 217, 228, 409
muscorum, Gnaphosa, 129
muscosa, Marpissa, 134
mutabilis, Salticus, 134
mutilata, Oltacloea, 333, 334
mutilloides, Leptorchestes, 134
mutinensis, Cresmatoneta, 116
mutus, Pterinochilus, 201, 202, 214–216
myops, Histopona, 125
Myrmarachne, 297, 298, 300, 301, 308, 313, 315, 317, 322, 323, 335, 338
— *albicrurata*, 298, 301, 303, 304
— *assimilis*, 301
— *aureonigra*, 298, 313, 321–323
— *biseratensis*, 298, 309, 317
— *cornuta*, 298, 300, 304–306
— *cuneata*, 298, 300, 309, 310, 313, 320, 321
— *daitarensis*, 298, 300, 301
— *formicaria*, 6, 7, 134, 298
— *gedongensis*, 298, 300, 308, 309
— *globosa*, 315
— *grossa*, 298, 311, 313–315, 322
— *hirsutipalpi*, 298, 313, 319, 320, 322
— *hispidacoxa*, 298, 311–313
— *lateralis*, 298, 301, 303, 304
— *malayana*, 298, 313, 317, 318
— *markaha*, 301
— *maxillosa*, 322, 323
— *melanocephala*, 298
— *plataleoides*, 298–301, 323
— *ramosa*, 298, 300–304, 306
— *tristis*, 304
— *turriformis*, 298, 300, 306–308, 317
— *wanlessi*, 298, 313, 315, 316
myrmex, Depreissia, 336, 344
Mysmena gibbosa, 361
— *leucoplagiata*, 361–363
Mysmenella jobi, 361–363
mystaceum, Theridion, 115, 188

nahuanum, Spelopelma, 373
nahuanus, Hemirrhagus, 366, 367, 373–375
narbonensis, Lycosa, 113
natalensis, Xysticus, 277
natalis, Ariadna, 277
nava, Hahnia, 126, 294, 413
nebulosa, Pardosa, 124
nebulosus, Lepthyphantes, 112
nebulosus, Megalepthyphantes, 118
nebulosus var. *melanotus, Lepthyphantes*, 112
neglecta, Clubiona, 4, 32–34, 112, 128, 293
neglectus, Robertus, 4, 6, 7, 115
Nematogmus sanguinolentus, 119
Nemesia caementaria, 112
— *carminans*, 113
— *pannonica*, 413
— *pannonica coheni*, 112
nemoralis, Xerolycosa, 125
nemoralis, Zora, 131
nemorivagum, Gonatium, 117
nemorosa, Tegenaria, 125
nenilini, Aelurillus, 259–261
nenilini, Savignia, 91
Nenilinium asiaticum, 91
Neobisium schawalleri, 280
Neobrettus, 335, 340, 342, 343
— *cornutus*, 340, 342, 343
— *phui*, 340
— *tibialis*, 335, 340, 341, 343
— *xanthophyllum*, 340, 341, 343
Neolinyphia, 85
— *japonica*, 85
Neon levis, 134
— *pictus*, 134
— *rayi*, 134
— *reticulatus*, 134
Neoscona adianta, 122, 186
— *subfusca*, 122, 186, 276, 277
Neottiura bimaculata, 115, 188
— *suaveolens*, 115, 188

— *uncinata*, 111, 115
Neriene clathrata, 119, 289–292, 294
— *emphana*, 119, 295, 296
— *furtiva*, 119, 187
— *hammeni*, 86, 91
— *japonica*, 85
— *litigiosa*, 296
— *major*, 84
— *montana*, 119
— *peltata*, 119, 296
— *radiata*, 91, 119, 296, 345, 352
Nesticus beroni, 114
— *cellulanus*, 4, 114, 294
— *eremita*, 114
niawpaq, *Acrographinotus*, 58, 59, 62–66
nidicolens, *Eris*, 188
nidicolens, *Macaroeris*, 134, 188
nietneri, *Dolichognatha*, 97
Nigma flavescens, 126
— *walckenaeri*, 126
nigra, *Holoversia*, 148
nigra, *Pardosa*, 124
nigriceps, *Pardosa*, 111, 124, 294
nigrifemur, *Coelogenium*, 202, 220, 221
nigrinus, *Bathyphantes*, 4, 6, 7, 116, 187, 294
nigripalpis, *Acantholycosa*, 111
nigripes, *Agyneta*, 84
nigrita, *Tetragnatha*, 121, 188
nigritus, *Hylyphantes*, 91
nigriventer, *Ctenus*, 72, 74
nigriventer, *Phoneutria*, 69–74, 77–80
nigriventroides, *Ctenus*, 72, 74
nigriventroides, *Phoneutria*, 73, 74
nigrociliatus, *Pellenes*, 134
nigrofulva, *Idiothele*, 206, 223–225
nigrofulvus, *Idiothele*, 223
nigrofulvus, *Pterinochilus*, 201, 223, 225
nigropictus, *Lyssomanes*, 420
nigroquadratus, *Araneus*, 276, 277
nigrovariegatum, *Theridion*, 115
nigrum, *Dicymbium*, 116, 294
ninnii, *Dysdera*, 113
ninnii, *Xysticus*, 133
nitens, *Tetragnatha*, 121
nitida, *Medmassa*, 277
nitidula, *Singa*, 122
niveobarbata, *Phoneutria*, 77
nivoyi, *Marpissa*, 134, 188
nocturna, *Callilepis*, 129
Nomisia aussereri, 130
— *exornata*, 130
nordmanni, *Araneus*, 50–56, 121
norvegica, *Micaria*, 269
notabilis, *Lepthyphantes*, 118
notha, *Larca*, 282
nubivaga, *Berlandina*, 129
Nuctenea, 31
— *silvicultrix*, 122
— *umbratica*, 122
nuda, *Ancylotrypa*, 277
nudipalpis, *Walckenaeria*, 290, 294
numida, *Anyphaena*, 47
Nurscia albomaculata, 127
— *albosignata*, 111, 127

obenbergeri, *Pterinochilides*, 201, 202, 214–216
obenbergeri, *Pterinochilus*, 214
oblongiusculus, *Paratibellus*, 131
oblongus, *Tibellus*, 112, 131
oblongus, *Zelotes*, 130
Obscuriphantes pseudoobscurus, 91
obscurus, *Atreus*, 180
obscurus, *Cnaphalocotes*, 91
obscurus, *Dresserus*, 277
obscurus, *Lepthyphantes*, 118
obscurus, *Scorpio*, 180
obsoleta, *Euophrys*, 112, 133
obtusa, *Tetragnatha*, 121, 188
obustus, *Amaurobius*, 126
occidentalis, *Pterinochilus*, 201, 202, 214–216
occitanus, *Buthus*, 179, 180
ocellatus, *Hemirrhagus*, 366–368, 371–374
ocelliventer, *Centroctenus*, 69, 79, 80
ochracea, *Phoneutria*, 73, 78
oculata, *Cyclosa*, 122
oculatissima, *Ceratinella*, 267, 268
Oedothorax, 5, 269
— *agrestis*, 2–8, 91, 119
— *apicatus*, 4, 6, 7, 119, 288–290, 292, 294
— *fuscus*, 5–7, 119, 289, 290, 294
— *gibbifer*, 119
— *gibbosus*, 6, 7, 119, 294
— *retusus*, 4–7, 119, 187, 288–292, 294
— *unidentatus*, 160
oelandica, *Enoplognatha*, 114
ohlerti, *Achaearanea*, 112, 114
ohridense, *Zodarion*, 128
Oligoctenus, 67, 79
— *ornatus*, 69, 79, 80
Olios biarmatus, 277
olivacea, *Agyneta*, 90, 290, 294
olivacea, *Sokkupia*, 58, 60, 62
olivaceus, *Acrographinotus*, 58–60
oliverioi, *Discocyrtus*, 144–149
Oltacloea, 333
— *beltranoae*, 333, 334
— *mutilata*, 333, 334
— *ribaslangei*, 333
olympi, *Zelotes*, 130
Ommatoblothrus schawalleri, 280
omoeda, *Gibbaranea*, 122
oncognathum, *Cheiracanthium*, 128
onkonensis, *Lyssomanes*, 420, 421
ononidum, *Hahnia*, 126
onustus, *Thomisus*, 132
Oonops pulcher, 114
opaca, *Gnaphosa*, 129
ophthalmicus, *Cnephalocotes*, 267, 268
ophthalmicus, *Silometopus*, 268
opifex, *Tarentula*, 112
opilionoides, *Pholcus*, 113
Opisthacanthus caryaporum, 233
opisthographa, *Araniella*, 4, 121
Opisthophthalmus carinatus, 39
— *wahlbergi*, 39
Opopaea, 244, 248
— *cornuta*, 248
— *deserticola*, 244
— *fosuma*, 244–248
— *foveolata*, 244
— *lena*, 248
orbelicus, *Metopobactrus*, 119
Oreonetides glacialis, 119
— *helsdingeni*, 91
orientale, *Gonatium*, 117
orientalis, *Agelena*, 125
orientalis, *Ceraticelus*, 91
orientalis, *Physocyclus*, 151, 152
ornatus, *Oligoctenus*, 69, 79, 80
orpheus, *Taranucnus*, 112
Orsima, 338
ortizi, *Acrographinotus*, 59, 60, 62, 63
ortizi, *Liographinotus*, 58, 59
Oryphantes angulatus, 187
Ostearius melanopygius, 119
ovata, *Enoplognatha*, 114
Oxyopes bothai, 277
— *heterophthalmus*, 125, 187
— *lineatus*, 125, 187, 413
— *longispinosus*, 277
— *ramosus*, 125
— *salticus*, 105–108, 270–273
Ozyptila atomaria, 132
— *blackwalli*, 132
— *brevipes*, 132
— *claveata*, 132
— *confluens*, 132
— *conostyla*, 132
— *lugubris*, 111, 132
— *praticola*, 132, 189
— *pullata*, 132
— *rauda*, 132
— *sanctuaria*, 132
— *scabricula*, 132
— *simplex*, 132
— *trux*, 132, 164, 294
— *umbraculorum*, 132

pabulator, *Centromerus*, 116
pabulator, *Coelotes*, 112, 127
paca, *Ctenus*, 73
paca, *Phoneutria*, 73
Pachistopelma, 396, 398
Pachygnatha clercki, 6, 7, 121, 289–292, 294
— *clerckoides*, 121
— *degeeri*, 121, 288–290, 294
— *listeri*, 121
— *terilis*, 128
Pachylus quinamavidensis, 149
pachypus, *Eucratoscelus*, 202, 211, 227–230
pacifica, *Epibellowia*, 91
Pacifiphantes, 84
paetulus, *Mecynargus*, 118
pagana, *Tegenaria*, 111, 125
Paidiscura pallens, 115
pallens, *Paidiscura*, 115
pallens, *Tapinocyba*, 120
pallida, *Pardosa*, 108
pallidula, *Clubiona*, 128
pallidus, *Amaurobius*, 126
pallidus, *Lepthyphantes*, 118, 294
pallidus, *Smeringopus*, 151, 277
palmatus, *Buthus*, 176, 177
palmatus, *Heterometrus*, 176, 177
palpisetulosus, *Eremobates*, 39, 285
paludicola, *Pardosa*, 124
palustris, *Pardosa*, 124, 294
Palystes superciliosus, 277
pampia, *Minyriolus*, 88
pampia, *Silometopoides*, 88, 89
Panamomops inconspicuus, 119
— *sulcifrons*, 119
Pandinus, 178
— *africanus*, 178
— *imperator*, 178, 233
— *indicus*, 178
pannonica, *Nemesia*, 413
pannonica coheni, *Nemesia*, 112
papalotl, *Hemirrhagus*, 366, 367, 369, 370, 372–374
paradoxa, *Sobasina*, 140
paradoxa, *Trabea*, 124
paradoxum, *Gonatium*, 117
paradoxus, *Hyptiotes*, 114
paraensis, *Tityus*, 180
parallela, *Pelecopsis*, 87, 91, 119, 294
parallelus, *Tibellus*, 112
parasiticus, *Thyreosthenius*, 120
Paratibellus oblongiusculus, 131
Parawubanoides marusiki, 91
— *unicornis*, 91
pardalis, *Zora*, 131
Pardosa, 242, 277
— *agrestis*, 123
— *agricola*, 123, 288–292, 294
— *alacris*, 123
— *albatula*, 112, 123
— *amentata*, 4, 6, 7, 112, 123, 289–292, 294
— *bifasciata*, 123
— *blanda*, 123
— *bulgarica*, 111
— *crassipalpis*, 277
— *cribrata*, 123
— *distincta*, 108
— *drenskii*, 123
— *ferruginea*, 123
— *hortensis*, 124
— *incerta*, 124
— *italica*, 124
— *luctinosa*, 124
— *lugubris*, 6, 7, 124
— *mixta*, 124
— *monticola*, 124
— *morosa*, 111, 124
— *nebulosa*, 124

— *nigra*, 124
— *nigriceps*, 111, 124, 294
— *pallida*, 108
— *paludicola*, 124
— *palustris*, 124, 294
— *podhorskii*, 161, 162
— *pontica*, 124
— *prativaga*, 124
— *proxima*, 124
— *pseudostrigillata*, 124
— *pullata*, 124, 288–291, 294
— *riparia*, 4, 124
— *roscai*, 111, 124
— *saltuaria*, 113
— *saturatior*, 2–4, 6–8, 187
— *tasevi*, 124
— *tatarica*, 124
— *torrentum*, 6, 7
— *vittata*, 124
— *wagleri*, 2–4, 6–8
parietina, *Tegenaria*, 125
parthenus, *Trochosa*, 107, 153, 155, 156
parvulus, *Bathyphantes*, 86, 90, 294
parvus, *Risdonius*, 175
pastor, *pirinicus*, *Coelotes*, 111
patagiatus, *Heliophanus*, 6, 7, 133
patagiatus, *Larinioides*, 122
Patu, 324
patula, *Argenna*, 126
paucispinulosa, *Segregara*, 277
pauper, *Lyssomanes*, 424
paykulliana, *Steatoda*, 115
pectinata, *Dysdera*, 113
pectinifemur, *Discocyrtus*, 146, 149
pectinipalpis, *Ctenolophus*, 277
pedestris, *Trachyzelotes*, 130
pegnia, *Araneus*, 50–52
pelasgicum, *Cheiracanthium*, 128
Pelecopsis, 119, 412, 414
— *baicalensis*, 86, 87, 90
— *elongata*, 119, 412, 413
— *krausi*, 119, 412–414
— *loksai*, 412–414
— *mengei*, 6, 7, 294
— *parallela*, 87, 91, 119, 294
— *robusta*, 412, 413
Pelegrina proterva, 264
pelikena, *Hilaira*, 161, 162
Pellenes arciger, 134
— *nigrociliatus*, 134
— *seriatus*, 112, 134
— *tripunctatus*, 112, 134
peltata, *Neriene*, 119, 296
penelope, *Enoplognatha*, 114
penicillata, *Moebelia*, 119
penicillatus, *Sitticus*, 134
pennyi, *Cheiracanthium*, 128
pentagona, *Dolichognatha*, 97, 101, 103
pentheri, *Alopecosa*, 123
peregrinoides, *Ctenus*, 74
peregrinus, *Ctenus*, 74
perita, *Arctosa*, 123, 294
Perlongipalpus pinipumilis, 86, 87, 91
permixtus, *Diplocephalus*, 117, 294
pernix, *Crypsidromus*, 374
pernix, *Cyrtopholis*, 365, 366, 374
pernix, *Hapalopus*, 374
pernix, *Hemirrhagus*, 366–368, 373–375
perplexa, *Diplocentria*, 160, 161
pertyi, *Ctenus*, 67, 72
pertyi, *Phoneutria*, 73
peruvianus, *Hemirrhagus*, 365, 366
pescadero, *Lyssomanes*, 419
petraeum, *Theridion*, 111, 115
petrensis, *Talavera*, 135
petrensis, *Zelotes*, 130
peusi, *Mecopisthes*, 118
Phaeocedus braccatus, 130
phalangioides, *Pholcus*, 113, 347, 348, 350, 353
phalerata, *Steatoda*, 115, 290, 294
Phanotea, 67
Phidippus audax, 107, 153, 270, 272
— *regius*, 153
Philaeus chrysops, 134
philippinensis, *Bocus*, 338
Philodromus, 17
— *albidus*, 187
— *aureolus*, 131
— *buxi*, 131
— *cespitum*, 112, 131, 188
— *collinus*, 6, 7, 131
— *constellatus*, 112
— *dispar*, 131
— *emarginatus*, 131
— *fallax*, 131
— *fuscomarginatus*, 131
— *glaucinus*, 131
— *histrio*, 131
— *longipalpis*, 131
— *margaritatus*, 131
— *poecilus*, 131
— *praedatus*, 131
— *rufus*, 131, 188
— *vagulus*, 131
Phlegra, 166
— *bresnieri*, 134
— *fasciata*, 134, 264–266
— *hentzi*, 264–266
— *leopardus*, 264
Pholcomma gibbum, 115
Pholcus, 151
— *cyaneus*, 151
— *globosus*, 151
— *opilionoides*, 113
— *phalangioides*, 113, 347, 348, 350, 353
— *ponticus*, 113
— *tigrinus*, 151
Phoneutria, 67–71, 74, 77–80, 189
— *andrewsi*, 75
— *bahiensis*, 69, 71, 75–80
— *boliviensis*, 69, 71, 73, 74, 77–80
— *columbiana*, 74
— *decora*, 77
— *depilata*, 74
— *fera*, 67, 69, 71, 73, 75–80
— *keyserlingi*, 73, 74
— *luederwaldti*, 73
— *nigriventer*, 69–74, 77–80
— *nigriventroides*, 73, 74
— *niveobarbata*, 77
— *ochracea*, 73, 78
— *paca*, 73
— *pertyi*, 73
— *reidyi*, 69, 71, 73, 75–80
— *rufibarbis*, 67, 72, 78
— *rufichelis*, 73
— *sus*, 71
— *unilineata*, 77
Phoneyusa, 204
phragmitis, *Clubiona*, 128, 187
Phrurolithus festivus, 6, 7, 127
— *minimus*, 6, 7
— *pullatus*, 127
— *szilyi*, 127
phrygiana var. *pirini*, *Linyphia*, 110, 111
phrygianus, *Pityohyphantes*, 91, 110, 111, 119
phui, *Neobrettus*, 340
Physocyclus, 151, 152
— *globosus*, 151, 152
— *orientalis*, 151, 152
picaceus, *Pseudicius*, 134
piceus, *Atypus*, 111
picinus, *Diplocephalus*, 117
picta, *Hahnia*, 126
picta, *Tegenaria*, 111, 125
pictilis, *Euophrys*, 112
pictum, *Theridion*, 115
pictus, *Neon*, 134
pictus, *Thanatus*, 131
piechockii, *Erigone*, 91
piger, *Tmarus*, 132
pilipes, *Lasiargus*, 86, 91
pilipes, *Metopobactrus*, 86
pillansi, *Coelogenium*, 201, 202
pillichi, *Lepthyphantes*, 118
pilosus, *Scotargus*, 120
pinastri, *Theridion*, 115, 188
pinetorum, *Alopecosa*, 123
pinheiral, *Dolichognatha*, 102, 103
pinicola, *Lepthyphantes*, 118
pinicola, *Tetragnatha*, 121
pinipumilis, *Perlongipalpus*, 86, 87, 91
Pirata hygrophilus, 6, 7, 124
— *knorri*, 2–4, 6–8, 124
— *latitans*, 6, 7, 124
— *piraticus*, 5–7, 124, 187, 289, 290, 292, 294
— *piscatorius*, 124
— *tenuitarsis*, 124, 187
— *uliginosus*, 187
piraticus, *Pirata*, 5–7, 124, 187, 289, 290, 292, 294
pirini, *Cryphoeca*, 126
pirini, *Drassus*, 111
pirini, *Erigone*, 112, 117
pirini, *Lepthyphantes*, 111
pirini, *Theridion*, 111
pirini, *Zodarion*, 112, 128
pirinicus, *Drepanotylus*, 117
Pirunipygus, 63
Pisaura mirabilis, 125
piscatorius, *Pirata*, 124
Pistius truncatus, 132, 189
Pityohyphantes phrygianus, 91, 110, 111, 119
plantarius, *Dolomedes*, 125
plataleoides, *Myrmarachne*, 298–301, 323
plataleoides, *Salticus*, 298
platypoda, *Sobasina*, 140, 141 [*M. pl.*, sic]
Plesiopelma, 365, 366, 373, 374
plorator, *Synema*, 132
pluchei, *Holocnemus*, 112, 188, 345–347, 350–353
plumipes, *Uloborus*, 114, 189
pluridentata, *Idiothele*, 201, 209
pluridentatum, *Idiothele*, 209–211
Pocadicnemis, 268
— *carpatica*, 187
— *juncea*, 119
— *pumila*, 91, 119, 294
pocaruguara, *Anapistula*, 327–329
podhorskii, *Lycosa*, 112
podhorskii, *Pardosa*, 161, 162
Poecilochroa conspicua, 130
— *variana*, 130
Poeciloneta variegata, 91, 119
Poecilotheria, 410
poecilus, *Philodromus*, 131
Poltys, 355–359
— *illepidus*, 355, 357, 359
— *turriger*, 357
pomatia, *Marpissa*, 134
pontica, *Anyphaena*, 46–48
pontica, *Pardosa*, 124
ponticus, *Pholcus*, 113
Porrhomma, 112
— *convexum*, 4, 6, 7, 119, 294
— *lativelum*, 119
— *longjiangense*, 87, 88, 91
— *longjiangensis*, 87
— *microphthalmum*, 119
— *pygmaeum*, 6, 7, 119
— *rakanum*, 87
Portia, 335, 338
portoricensis, *Lyssomanes*, 417
poweri, *Coelotes*, 112
praedatus, *Philodromus*, 131
praeficus, *Drassyllus*, 129
praegrandis, *Lycosa*, 123
Praestigia, 91
pratense, *Baryphyma*, 294
pratensis, *Araneus*, 50, 51, 54–56
praticola, *Ozyptila*, 132, 189
prativaga, *Pardosa*, 124
Prinerigone vagans, 4, 6, 7, 119
Prionurus funestus, 177

Priscula, 151
— *tigrina*, 151
Procerocymbium sibiricum, 87, 88, 91
— *sibiricus*, 87
Prolinyphia emphana, 295
prominens, Cercidia, 122
promiscua, Erigone, 294
prosperpina, Dolichognatha, 97
prospiciens, Archaraeoncus, 116
prospicuus, Discocyrtus, 149
Prosthesima, 360
— *bitolensis*, 110, 111
— *mediocris*, 360
proterva, Pelegrina, 264
protervus, Scotinotylus, 91
Protoleptoneta beroni, 112
— *bulgarica*, 112
protuberans, Diplocephalus, 117
proxima, Agroeca, 127, 294
proxima, Araniella, 121
proxima, Pardosa, 124
prudens, Centromerus, 111, 116
Psalmopoeus, 410
Pseudeuophrys lanigera, 188
Pseudicius, 338
— *encarpatus*, 134
— *kulczynskii*, 134
— *picaceus*, 134
pseudobenderi, Lyssomanes, 415, 416
pseudoclivicola, Zelotes, 130
Pseudogonatium fuscomarginatum, 267–269
pseudoneglecta, Clubiona, 32–34, 112, 128, 187
pseudoobscurus, Obscuriphantes, 91
pseudostrigillata, Pardosa, 124
Pterinochilides, 202, 205
— *obenbergeri*, 201, 202, 214–216
Pterinochilus, 201–205, 207, 209, 212, 214, 216, 218, 219, 223, 225–228, 409
— *affinis*, 201, 206–209
— *alluaudi*, 201, 205–207, 209, 217, 223
— *breyeri*, 201, 218, 219
— *brunelli*, 206
— *brunellii*, 201, 206, 207
— *carnivorus*, 201, 206, 207
— *chordatus*, 203, 205–209, 216, 217
— *constrictus*, 201, 202, 206, 211, 212, 216, 227, 228
— *crassispana*, 223
— *crassispina*, 223
— *crassispinus*, 201, 223–225
— *elevatus*, 211, 212
— *hindei*, 201, 211, 213
— *junodi*, 201, 202, 220, 221
— *lugardi*, 201, 205, 207, 209–211, 216, 217, 227
— *mamillatus*, 201, 202, 211
— *meridionalis*, 201, 202, 216
— *murinus*, 201, 203, 205–207, 209, 211–214, 216, 217, 228, 409
— *mutus*, 201, 202, 214–216
— *nigrofulvus*, 201, 223, 225
— *obenbergeri*, 214
— *occidentalis*, 201, 202, 214–216
— *raptor*, 201, 206, 207
— *raveni*, 206
— *schonlandi*, 201, 225, 226
— *simoni*, 201–203, 205–207, 209, 214–216
— *sjostedti*, 201, 206–209
— *spinifer*, 201, 227–229
— *vorax*, 201–203, 205–207, 209, 211, 216–219, 227
— *widenmanni*, 201, 206
pubescens, Drassodes, 129
pubescens, Sitticus, 134
puebla, Hemirrhagus, 366, 367, 373–375
puebla, Spelopelma, 373
pulcher, Lepthyphantes, 4, 6, 7, 118
pulcher, Oonops, 114
pulchriventris, Ctenus, 278
pulicaria, Micaria, 6, 7, 130, 290, 293
pullata, Kaestneria, 91, 294
pullata, Ozyptila, 132
pullata, Pardosa, 124, 288–291, 294
pullatus, Phrurolithus, 127
pulverulenta, Alopecosa, 123, 242, 243, 288–292, 294
pumila, Pocadicnemis, 91, 119, 294
pumilus, Drassyllus, 6, 7, 129
punctatus, Suemus, 277
punctorium, Cheiracanthium, 128
punctulata, Lycosa, 170
pusilla, Dictyna, 126, 187
pusilla, Hahnia, 126
pusilla, Microlinyphia, 91, 119, 290, 294
pusillus, Drassyllus, 129
pusillus, Minyriolus, 91, 119
Pycnacantha, 359
pygmaea, Hypsosinga, 122
pygmaeum, Porrhomma, 6, 7, 119
pyrenaeus, Zelotes, 360

quadratus, Araneus, 121
quadriguttata, Titanoeca, 127
quadrimaculatus, Aelurillus, 249
quadrimaculatus, Lepthyphantes, 111, 118
quadripunctatus, Scotophaeus, 130
quadrituberculata, Dolichognatha, 97
quinamavidensis, Pachylus, 149
quinquestriatus, Leiurus, 233

Rachus, 151
radiata, Hogna, 110, 111, 123
radiata, Marpissa, 134
radiata, Neriene, 91, 119, 296, 345, 352
Rafalus, 249
rakanum, Porrhomma, 87
ramosa, Myrmarachne, 298, 300–304, 306
ramosus, Oxyopes, 125
raptor, Pterinochilus, 201, 206, 207
Rarahu, 141
rauda, Ozyptila, 132
raveni, Coelogenium, 202, 206–208
raveni, Pterinochilus, 206
rayi, Metopobactrus, 88, 119
rayi, Neon, 134
rayi, Sauron, 88
raymondi, Cybaeus, 189
reclusa, Clubiona, 290, 293
reclusa, Loxosceles, 41
reconditus, Zelotes, 196, 198
reconditus mediocris, Zelotes, 196, 197, 360
rectilamellus, Lepthyphantes, 118
recurvum, Gongylidiellum, 269
reddelli, Hemirrhagus, 366, 367, 373, 374
reddelli, Schizopelma, 374
reddelli, Spelopelma, 374
redii, Agalenatea, 121, 413
refugum, Theridion, 115
regispyrrhi, Tegenaria, 125
regius, Phidippus, 153
reidyi, Ctenus, 75
reidyi, Phoneutria, 69, 71, 73, 75–80
remota, Erigone, 112
remotus, Lyssomanes, 424
reprobus, Halorates, 111, 117
ressenensis, Comaroma, 110, 111
reticulata, Lachesis, 387
reticulata, Selamia, 385, 387, 390
reticulata, Storena, 387
reticulatus, Buthus, 178
reticulatus, Neon, 134
retroversus, Sintula, 120
retusus, Oedothorax, 4–7, 119, 187, 288–292, 294
reussi, Silometopus, 120, 159, 160, 268
rhenana, Gnaphosa, 129
Rhene, 338
rhodesiensis, Crozetulus, 171–175
rhodopensis, Antrohyphantes, 111, 116
Rhomphaea, 151
ribaslangei, Oltacloea, 333
richteri, Dysdera, 113
rilaensis, Tegenaria, 126
riloensis, Araneus, 110, 111
riparia, Pardosa, 4, 124
Risdonius parvus, 175
Robertus arundineti, 115
— *frivaldszkyi*, 115
— *lividus*, 115, 289, 290, 294
— *mediterraneus*, 115
— *neglectus*, 4, 6, 7, 115
— *scoticus*, 115
robusta, Pelecopsis, 412, 413
robusta, Trochosa, 124
robustum, Leptorhoptrum, 6, 7, 289, 290, 292, 294
robustus, Brachionopus, 277
robustus, Xysticus, 133
rodopicus, Antrohyphantes, 111
rohri, Globignatha, 324
romana, Ceratinopsis, 4, 116
romana, Micaria, 130
romani, Lyssomanes, 418, 420–422
roscai, Pardosa, 111, 124
rossica, Micaria, 130
rubellum, Gonatium, 117, 294
rubens, Concavocephalus, 91
rubens, Gonatium, 91, 117, 294
rubicunda, Harpactea, 113
rubidum, Zodarion, 394
rubristernus, Mesobolivar, 151, 152
rudis, Dendryphantes, 133, 188
rudyi, Zodarion, 385
rufibarbis, Ctenus, 72
rufibarbis, Euophrys, 133
rufibarbis, Phoneutria, 67, 72, 78
ruficheliis, Ctenus, 73
ruficheliis, Phoneutria, 73
rufipes, Ballus, 413
rufipes, Gongylidium, 117, 289, 290, 294
rufithorax, Heliophanus, 133
rufus, Macrargus, 118
rufus, Philodromus, 131, 188
Rugathodes bellicosus, 115
Runcinia grammica, 132
rupicola, Liocranum, 127
rupicola, Sitticus, 134
rurestris, Meioneta, 4, 6, 7, 10, 11, 112, 119, 269
rurestris, Micryphantes, 269
ruricola, Trochosa, 4, 6, 7, 124, 289, 290, 294
rusticus, Urozelotes, 130
rutilans, Liocranum, 127
ryabukhini, Hilaira, 161

Saaristoa abnormis, 294
sabina, Anyphaena, 47, 127
sabulosus, Thanatus, 131
sabulosus, Xysticus, 133
sachalinensis, Silometopoides, 88
sachalinensis, Silometopus, 88
saeva, Harpactea, 113
saevus, Araneus, 121
Saitis barbipes, 111, 112, 134
— *graecus*, 134
— *tauricus*, 112, 134
salax, Typhloneta, 112
salei, Cupiennius, 13–15, 107, 153
saltator, Sitticus, 134
salticus, Oxyopes, 105–108, 270–273
Salticus cingulatus, 134
— *confusus*, 134
— *mutabilis*, 134
— *plataleoides*, 298
— *scenicus*, 134, 294
— *zebraneus*, 134
saltuaria, Pardosa, 113
saltuum, Abacoproeces, 90, 116
sanctuaria, Ozyptila, 132
sanguinea, Hypsosinga, 122
sanguinolentus, Nematogmus, 119
santarem, Lyssomanes, 420, 422
sarasinorum, Stegodyphus, 15
saturatior, Pardosa, 2–4, 6–8, 187
Sauron, 88

— *fissocornis*, 88
— *rayi*, 88
Savignia, 88–90
— *borea*, 88
— *eskovi*, 88, 91
— *frontata*, 294
— *nenilini*, 91
saxatilis, *Clubiona*, 128
saxatilis, *Meioneta*, 294
saxetorum, *Caviphantes*, 3, 4, 6, 7
saxicola, *Sitticus*, 134
saxicola, *Trichoncus*, 120
scabricula, *Ozyptila*, 132
scabriculus, *Troxochrus*, 120, 290, 294
scabrosa, *Ceratinella*, 116, 268
scenicus, *Salticus*, 134, 294
schawalleri, *Neobisium*, 280
schawalleri, *Ommatoblothrus*, 280
schineri, *Titanoeca*, 127
Schizocosa, 242
— *crassipes*, 95
Schizopelma elliotti, 372
— *reddelli*, 374
— *stygia*, 374
— *stygium*, 374
schmidti, *Alopecosa*, 123
schmiedeknichti, *Compsobuthus*, 233, 235
schonlandi, *Pterinochilus*, 201, 225, 226
schonlandi, *Trichognatha*, 206, 225–227
schuszteri, *Callilepis*, 129
Sciastes aquilonia, 161
sclopetarius, *Larinioides*, 122, 186
scopulatus, *Hysterocrates*, 212
Scorpio, 176–178
— *afer*, 176, 178
— *americanus*, 176, 177, 179, 180
— *americus*, 176, 180
— *australis*, 176, 177
— *carpathicus*, 176–179
— *europaeus*, 176, 178–180
— *italicus*, 179
— *maculatus*, 180
— *maurus*, 176, 177, 180
— *maurus maurus*, 177
— *obscurus*, 180
Scorpius europaeus, 179
Scotargus pilosus, 120
scoticus, *Robertus*, 115
Scotina celans, 127
Scotinotylus, 91
— *alpigena*, 120
— *protervus*, 91
Scotophaeus, 187, 189
— *blackwalli*, 130
— *quadripunctatus*, 130
— *scutulatus*, 130
sculpturatus, *Centruroides*, 233, 235
scurrilis, *Acartauchenius*, 90, 116
scutatus, *Crozetulus*, 171
scutulatus, *Scotophaeus*, 130
Scytodes maritima, 277
— *thoracica*, 112
secreta, *Anapistula*, 324
Segestria bavarica, 113
— *florentina*, 113, 188
— *senoculata*, 113
segmentata, *Metellina*, 120
Segregara paucispinulosa, 277
segurense, *Zodarion*, 388, 390, 393
seidlitzi, *Cheiracanthium*, 128
Selamia reticulata, 385, 387, 390
semiater, *Centromerus*, 116
semiatra, *Singa*, 122
semiflavus, *Hypselistes*, 91
semilimbatus, *Menemerus*, 134, 188
seminigra, *Aphantaulax*, 128
Semljicola, 160
senoculata, *Segestria*, 113
senoculata, *Spermophora*, 110, 111, 113, 188
septempunctata, *Micaria*, 111, 130
seriatus, *Pellenes*, 112, 134
serratus, *Centromerus*, 116
Setaphis carmeli, 130
setiger, *Bathyphantes*, 90
setiger, *Heriaeus*, 132
sibirica, *Holminaria*, 86
sibirica, *Ummeliata*, 91
sibiricum, *Ivielum*, 91
sibiricum, *Procerocymbium*, 87, 88, 91
sibiricus, *Erigonoplus*, 91
sibiricus, *Procerocymbium*, 87
sibiricus, *Silometopoides*, 88, 89
sibiricus, *Silometopus*, 88
sibiricus, *Stemonyphantes*, 91
Sickius, 411
— *longibulbi*, 411
siemensi, *Ischnothele*, 12
sierrae, *Cyclosa*, 122
signativenter, *Ctenus*, 74
signifer, *Haplodrassus*, 129, 289, 290, 293
silesiaca, *Micaria*, 130
Silometopoides, 88, 89
— *asiaticus*, 88, 89
— *koponeni*, 88, 89
— *mongolensis*, 88, 89
— *pampia*, 88, 89
— *sachalinensis*, 88
— *sibiricus*, 88, 89
— *sphagnicola*, 88, 89
— *tibialis*, 86–89, 91
— *yodoensis*, 88, 89
Silometopus, 88, 268
— *ambiguus*, 268
— *asiaticus*, 88
— *bonessi*, 120
— *curtus*, 268
— *elegans*, 268, 294
— *koponeni*, 88
— *ophthalmicus*, 268
— *reussi*, 120, 159, 160, 268
— *sachalinensis*, 88
— *sibiricus*, 88
silvestris, *Haplodrassus*, 129
silvestris, *Tegenaria*, 126
silvestris, *Zora*, 131
silvicola, *Centromerus*, 116
silvicola, *Cryphoeca*, 4, 126, 294
silvicultrix, *Nuctenea*, 122
simile, *Simitidion*, 115
similis, *Clubiona*, 3, 4, 6, 7, 32, 128
similis, *Zelotes*, 130
Simitidion simile, 115
simoni, *Heriaeus*, 132
simoni, *Pterinochilus*, 201–203, 205–207, 209, 214–216
simplex, *Heliophanus*, 133
simplex, *Ozyptila*, 132
simplex, *Walckenaeria*, 120
simplicitarsis, *Meioneta*, 119
simulans, *Achaearanea*, 114, 188
Singa hamata, 122
— *lucina*, 122
— *nitidula*, 122
— *semiatra*, 122
singoriensis, *Lycosa*, 123
Sintula retroversus, 120
— *spiniger*, 120, 413
sisyphium, *Theridion*, 115
Sitticus dzieduszyckii, 134
— *floricola*, 134, 188
— *penicillatus*, 134
— *pubescens*, 134
— *rupicola*, 134
— *saltator*, 134
— *saxicola*, 134
— *terebratus*, 134
— *zimmermanni*, 134
sjostedti, *Pterinochilus*, 201, 206–209
Smeringopus pallidus, 151, 277
Smodigoides, 160
— *thoracicus*, 160
Sobasina, 139–142
— *paradoxa*, 140
— *platypoda*, 140, 141 [*M. pl.*, sic]
— *sylvatica*, 141, 142
— *yapensis*, 141 [*M. ya.*, sic]
sociabilis, *Micaria*, 130
socialis, *Drapetisca*, 117
Sokkupia, 58–60
— *olivacea*, 58, 60, 62
solitaria, *Alopecosa*, 123
sombra, *Entelecara*, 91
sophianus, *Antrohyphantes*, 111, 116
soror, *Zodarion*, 113
Sosticus loricatus, 130
Soudinus canaliculatus, 161
spatulata, *Craspedisia*, 383
speciosa, *Donacochara*, 117
spelaeorum, *Lepthyphantes*, 111, 118
Spelopelma, 365, 366
— *elliotti*, 365, 372
— *grieta*, 373
— *mitchelli*, 373
— *nahuanum*, 373
— *puebla*, 373
— *reddelli*, 374
— *stygium*, 374
Spermophora, 151
— *senoculata*, 110, 111, 113, 188
sphagnicola, *Silometopoides*, 88, 89
spinifer, *Heterometrus*, 233
spinifer, *Pterinochilus*, 201, 227–229
spiniger, *Sintula*, 120, 413
spinimana, *Cydrela*, 277
spinimana, *Zora*, 131, 294
spinimana, *Zoropsis*, 125
spinosa, *Dolichognatha*, 97
srednagora, *Harpactea*, 113
Stalita taenaria, 185
stauntoni, *Anyphops*, 277
Steatoda albomaculata, 115
— *bipunctata*, 115, 294
— *castanea*, 115
— *grossa*, 115
— *meridionalis*, 115
— *paykulliana*, 115
— *phalerata*, 115, 290, 294
— *triangulosa*, 115, 188
Stegodyphus sarasinorum, 15
steinmetzi, *Aelurillus*, 260
stellio, *Tmarus*, 189
Stemonyphantes conspersus, 91
— *lineatus*, 120, 294
— *sibiricus*, 91
Stenaelurillus, 166, 167
sticta, *Crustulina*, 114
stigmatisata, *Lathys*, 126
stigmosa, *Arctosa*, 123
Storena reticulata, 387
strandi, *Euxinella*, 111
strandjae, *Cyclosa*, 110, 111
strandjica, *Harpactea*, 113
striata, *Agraecina*, 4, 6, 7, 127
striata, *Tetragnatha*, 121
striatipes, *Alopecosa*, 123
striatipes, *Thelechoris*, 12
striatipes, *Xysticus*, 133
striatus, *Thanatus*, 131, 376–381
stroemi, *Zygiella*, 121, 186
Stromatopelma, 204, 405, 408–410
— *calceatum*, 406, 411
sturanyi, *Harpactea*, 114
sturmi, *Araneus*, 121
stygia, *Aphonopelma*, 374
stygia, *Schizopelma*, 374
stygium, *Schizopelma*, 374
stygium, *Spelopelma*, 374
stygius, *Hemirrhagus*, 366, 367, 373, 374
stylifera, *Enyo*, 391
styliferum, *Zodarion*, 385, 386, 388–391, 394
styliferum, *Zodarium*, 391
styliferum f. *extraneum*, *Zodarion*, 385, 386, 388–393
stylifrons, *Walckenaeria*, 120
Styloctetor lehtineni, 84, 89, 91
suaveolens, *Neottiura*, 115, 188

subaequalis, Micrargus, 119
subfusca, Neoscona, 122, 186, 276, 277
subitaneus, Microctenonyx, 119
submissa, Collinsia, 91
subnigra, Argenna, 126
subopaca, Micaria, 130
subrostratus, Diplocephalus, 91
subsultans, Clubiona, 128
subterraneus, Zelotes, 4, 6, 7, 130
subtilis, Agyneta, 294
subtilis, Clubiona, 128, 293
Suemus punctatus, 277
sukatchevae, Thaleria, 91
sulcifrons, Panamomops, 119
sulzeri, Alopecosa, 111, 123, 413
sundevalli, Maso, 91, 118
superciliosus, Palystes, 277
suppositum, Gnathonarium, 91
sus, Ctenus, 71
sus, Phoneutria, 71
suspicax, Larinioides, 122, 186
sylvatica, Sobasina, 141, 142
sylvaticus, Centromerus, 4, 6, 7, 116
sylvaticus paucidentatus, Centromerus, 116
Symphytognatha, 324
— *brasiliana*, 324
Synageles dalmaticus, 135
— *hilarulus*, 135
— *venator*, 135
Synagelides, 139
— *agoriformis*, 139
Synema globosum, 132
— *plorator*, 132
szilyi, Phrurolithus, 127

tabulata, Achaearanea, 114
tabulicola, Hahnia, 277
taczanowskii, Lepthyphantes, 91
taczanowskii, Lyssomanes, 420–422
taenaria, Stalita, 185
taeniata, Alopecosa, 123, 242, 243
taeniatus, Ctenus, 69, 79, 80
taeniatus, Menemerus, 134
taeniopus, Alopecosa, 112, 123
Talavera aequipes, 135
— *monticola*, 135
— *petrensis*, 135
talishia, Aculepeira, 112, 121
Tallusia experta, 120
— *vindobonensis*, 120
talpinus, Zelotes, 130
Tapinesthis inermis, 114
Tapinocyba, 160
— *biscissa*, 120
— *insecta*, 120
— *mitis*, 120
— *pallens*, 120
Tapinopa longidens, 120
tarantula, Lycosa, 113
Taranucnus orpheus, 112
Tarentula konstantinovi, 111
— *macedonica*, 110, 111
— *opifex*, 112
tasevi, Pardosa, 124
tatarica, Pardosa, 124
taurica, Dysdera, 113
taurica, Gnaphosa, 111, 129
tauricus, Saitis, 112, 134
tbilisiensis, Arctosa, 111, 123, 183, 184
Tegenaria agrestis, 125
— *annulata*, 112
— *argaeica*, 111, 125
— *atrica*, 125
— *bithyniae*, 125
— *boitanii*, 125
— *campestris*, 125, 186
— *dalmatica*, 125
— *dentifera*, 112
— *domestica*, 112, 125
— *ferruginea*, 125
— *montana*, 112, 125
— *nemorosa*, 125
— *pagana*, 111, 125
— *parietina*, 125
— *picta*, 111, 125
— *regispyrrhi*, 125
— *rilaensis*, 126
— *silvestris*, 126
Telamonia, 338
tenebricola, Lepthyphantes, 6, 7, 118
tenebrosa, Marpissa, 249
tenebrosus, Xysticus, 17
tenuipalpis, Linyphia, 413
Tenuiphantes alacris, 91
— *mengei*, 91
— *tenuis, Lepthyphantes*, 118, 290, 294
tenuis, Lyssomanes, 422
tenuis, Zelotes, 130
tenuissimus, Mesiotelus, 127
tenuitarsis, Pirata, 124, 187
tenuitibialis, Eucratoscelus, 202, 209, 227
tepidariorum, Achaearanea, 114
terebratus, Sitticus, 134
terilis, Pachygnatha, 188
termitophagus, Microheros, 165, 169, 170
terrestris, Clubiona, 128
terrestris, Coelotes, 4, 6, 7, 15, 127
terricola, Trochosa, 6, 7, 124, 242, 243, 288–290, 292, 294
Tetragnatha dearmata, 111, 121
— *extensa*, 121
— *montana*, 121
— *nigrita*, 121, 188
— *nitens*, 121
— *obtusa*, 121, 188
— *pinicola*, 121
— *striata*, 121
tetricus, Cybaeus, 4
Textrix caudata, 126
— *denticulata*, 126
Thaleria sukatchevae, 91
Thanatus, 376, 379
— *arenarius*, 131
— *atratus*, 131, 376–381
— *dahurianus*, 380, 381
— *firmetorum*, 376–381
— *flavidus*, 131
— *formicinus*, 131
— *imbecillus*, 111, 131
— *jugorum*, 380, 381
— *jugorum saturatior*, 376, 378
— *lanatus*, 380, 381
— *lineatipes*, 131
— *meronensis*, 131
— *pictus*, 131
— *sabulosus*, 131
— *striatus*, 131, 376–381
— *ursus*, 376, 380, 381
— *ursus saturatior*, 376
— *vulgaris*, 131, 376, 377
— *vulgaris borealis*, 378
— *vulgaris brevipes*, 376, 378
— *vulgaris creticus*, 111, 131
Thelechoris striatipes, 12
Theonina kratochvili, 120
Theraphosa blondi, 397
Theridion adrianopoli, 115
— *betteni*, 112, 115
— *bimaculatum*, 188
— *blackwalli*, 115
— *cornutum*, 111
— *denticulatum*, 112
— *familiare*, 113
— *hemerobium*, 115
— *impressum*, 111, 115
— *melanurum*, 112, 115
— *mystaceum*, 115, 188
— *nigrovariegatum*, 115
— *petraeum*, 111, 115
— *pictum*, 115
— *pinastri*, 115, 188
— *pirini*, 111
— *refugum*, 115
— *sisyphium*, 115
— *tinctum*, 115
— *undulatum*, 112
— *varians*, 4, 6, 7, 116
Theridiosoma gemmosum, 116, 188
Thomisus onustus, 132
thomsoni, Marengo, 338
thoni, Zodarion, 128
thoracica, Enoplognatha, 114
thoracica, Scytodes, 112
thoracica, Vermontia, 160, 161
thoracicus, Smodigoides, 160
thoracicus, Tmeticus, 160
thorelli, Hypochilus, 352
thorelli, Trichopterna, 294
thorelli, Zygiella, 121, 186
Thrigmopoeus, 410
Thyenula juvenca, 277, 278
Thyreosthenius biovatus, 120
— *parasiticus*, 120
Tibellus macellus, 131
— *maritimus*, 131, 294
— *oblongus*, 112, 131
— *parallelus*, 112
tibiale, Dicymbium, 117, 289, 290, 294
tibialis, Cyrba, 340
tibialis, Metopobactrus, 89
tibialis, Neobrettus, 335, 340, 341, 343
tibialis, Silometopoides, 86–89, 91
Tibioplus diversus, 91
tigrina, Dolichognatha, 97
tigrina, Priscula, 151
tigrinus, Pholcus, 151
timidum, Zodarion, 112, 385, 389, 391
timidum, Zodarium, 389
timidus, Amaurobius, 126
tinctum, Theridion, 115
Tiso aestivus, 120
— *vagans*, 4, 6, 7, 120, 289, 290, 294
Titanoeca incerta, 111, 127
— *quadriguttata*, 127
— *schineri*, 127
— *tristis*, 127
Tityus, 180
— *paraensis*, 180
Tmarus piger, 132
— *stellio*, 189
Tmeticus thoracicus, 160
torpida, Histopona, 4, 125
torrentum, Pardosa, 6, 7
tortuosus, Xysticus, 24
torva, Dipoena, 114, 188
trabalis, Alopecosa, 123, 242, 243, 413
Trabea paradoxa, 124
Trachelas maculatus, 128, 187
Trachyzelotes barbatus, 130
— *malkini*, 130
— *pedestris*, 130
transbaicalica, Uusitaloia, 89–91
tranteevi, Histopona, 125
tranteevi, Lepthyphantes, 111
tredecimguttatus, Latrodectus, 115
Trephopoda hanoveria, 277
triangularis, Linyphia, 118, 290, 291, 294, 295
triangulatus, Metopobactrus, 267, 269
triangulosa, Steatoda, 115, 188
triangulus, Birgerius, 86
tribulosus, Heliophanus, 134
Tricca, 163
— *insignita*, 163, 164
Trichognatha, 202–205, 218, 223, 225–227
— *schonlandi*, 206, 225–227
Trichoncus affinis, 120
— *auritus*, 120, 413
— *hackmani*, 120
— *hyperboreus*, 91
— *saxicola*, 120
— *vasconicus*, 91
Trichopterna cito, 120, 413
— *fatrensis*, 88
— *thorelli*, 294
tricuspidatus, Misumenops, 132, 189

trifolium, Araneus, 49–52, 54–56
trifrons, Baryphyma, 294
triguttatus, Araneus, 121
trinidadus, Lyssomanes, 417, 422, 423
tripunctatus, Pellenes, 112, 134
tristis, Lasaeola, 115
tristis, Myrmarachne, 304
tristis, Titanoeca, 127
triton, Dolomedes, 170
trivialis, Clubiona, 4, 6, 7, 128, 293
trnovensis, Lepthyphantes, 118
Trochosa, 276, 277
— *hispanica*, 124
— *parthenus*, 107, 153, 155, 156
— *robusta*, 124
— *ruricola*, 4, 6, 7, 124, 289, 290, 294
— *terricola*, 6, 7, 124, 242, 243, 288–290, 292, 294
Troglohyphantes, 186
— *Bureschi*, 111
— *bureschianus*, 120
— *drenskii*, 120
Trogloneta granulum, 361
Troxochrus scabriculus, 120, 290, 294
truncatus, Episinus, 115
truncatus, Pistius, 132, 189
trux, Ozyptila, 132, 164, 294
tuberculata, Ero, 114
Tuberta maerens, 126
turcicum, Zodarion, 128
turriformis, Myrmarachne, 298, 300, 306–308, 317
turriger, Poltys, 357
Tuticanus, 67, 80
Typhloneta salax, 112
Typhochrestoides baikalensis, 91
Typhochrestus digitatus, 120

uliginosus, Pirata, 187
ullrichi, Gibbaranea, 122
ulmi, Xysticus, 133, 189
Uloborus plumipes, 114, 189
— *walckenaerius*, 114, 189, 413
umbraculorum, Ozyptila, 132
umbratica, Nuctenea, 122
umbratilis, Haplodrassus, 129
Ummeliata sibirica, 91
uncinata, Dictyna, 126, 187
uncinata, Neottiura, 111, 115
undulatum, Theridion, 112
unguiculata, Cydrela, 277
unicolor, Loxosceles, 41, 44
unicolor, Lyssomanes, 423
unicornis, Parawubanoides, 91
unicornis, Walckenaeria, 294
unidentatum, Gongylidium, 160
unidentatus, Oedothorax, 160
unilineata, Phoneutria, 77
unilineatus, Ctenus, 77
unitibialis, Aelurillus, 255, 261, 262
uralensis, Wubanoides, 91
Uroctea durandi, 114
Urozelotes rusticus, 130
ursus, Thanatus, 376, 380, 381
ursus saturatior, Thanatus, 376
Uusitaloia, 89
— *transbaicalica*, 89–91

vagans, Prinerigone, 4, 6, 7, 119
vagans, Tiso, 4, 6, 7, 120, 289, 290, 294
vagulus, Philodromus, 131
valdehirsutulus, Ctenus, 74
valkanovi, Centromerus, 116
variana, Arctosa, 108, 123
variana, Poecilochroa, 130
varians, Theridion, 4, 6, 7, 116
variegata, Poeciloneta, 91, 119
vasconicus, Trichoncus, 91
vatia, Misumena, 132
vegeta, Clubiona, 128
velox, Ctenus, 78
velox, Lyssomanes, 423
venator, Synageles, 135
Vermontia, 160
— *thoracica*, 160, 161
versicolor, Avicularia, 396–398
vespertinus, Zelotes, 130
vestita, Maimuna, 125
vexatrix, Hilaira, 162
viaria, Microneta, 91, 119
vicina, Dictyna, 126
video, Dactylopisthes, 91
viduum, Zodarion, 385
vigilax, Walckenaeria, 120, 294
villasboasi, Ctenus, 69, 79, 80
villicus, Drassyllus, 129
villosus, Drassodes, 129
vindobonensis, Tallusia, 120
vinocurae, Lyssomanes, 423
v-insignitus, Aelurillus, 133
v-insignitus, Araneus, 249
Viracucha andicola, 68, 69, 79, 80
virescens, Cheiracanthium, 128
virescens, Micrommata, 131
vittata, Pardosa, 124
vittatus, Anelosimus, 114, 188
vittatus, Centruroides, 233, 235
vividus, Ctenus, 78
vorax, Pterinochilus, 201–203, 205–207, 209, 211, 216–219, 227
vosseleri, Hysterocrates, 212
vulgaris, Thanatus, 131, 376, 377
vulgaris borealis, Thanatus, 378
vulgaris brevipes, Thanatus, 376, 378
vulgaris creticus, Thanatus, 111, 131
vulpecula, Homostola, 277
vultuosa, Lycosa, 123

wagleri, Lycosa, 112
wagleri, Pardosa, 2–4, 6–8
Wagneriana, 355
wahlbergi, Opisthophthalmus, 39
walckenaeri, Eresus, 114
walckenaeri, Nigma, 126
Walckenaeria, 91
— *acuminata*, 120, 289, 290, 294
— *alticeps*, 120
— *antica*, 120, 294
— *capito*, 120
— *cucullata*, 91, 120
— *cuspidata*, 294
— *dysderoides*, 120
— *fraudatrix*, 91
— *furcillata*, 120
— *karpinskii*, 91
— *kochi*, 294
— *mitrata*, 120
— *monoceros*, 120
— *nudipalpis*, 290, 294
— *simplex*, 120
— *stylifrons*, 120
— *unicornis*, 294
— *vigilax*, 120, 294
Walckenaerianus aimakensis, 91
walckenaerius, Uloborus, 114, 189, 413
wanlessi, Myrmarachne, 298, 313, 315, 316
waorani, Lyssomanes, 417, 424
werneri judaicus, Compsobuthus, 233–235
westringi, Dysdera, 113
widenmanni, Pterinochilus, 201, 206
wideri, Ceratinella, 268
Wubanoides uralensis, 91

xanthogramma, Carrhotus, 133, 188
xanthophyllum, Neobrettus, 340, 341, 343
Xenodendrophila, 405, 408–411
— *gabrieli*, 405–407
Xerolycosa miniata, 125
— *nemoralis*, 125
xerophilus, Yakutopus, 91
Xevioso amica, 277
x-notata, Zygiella, 27, 31, 121, 186
Xysticus, 17, 19, 289
— *acerbus*, 132
— *audax*, 17–24, 132
— *bifasciatus*, 132, 294
— *bonneti*, 132
— *caperatus*, 132
— *cor*, 132
— *cristatus*, 17–24, 132, 288–292, 294
— *desidiosus*, 132
— *erraticus*, 132
— *ferrugineus*, 24
— *gallicus*, 132
— *graecus*, 132
— *kempelini*, 132
— *kochi*, 132
— *lanio*, 132
— *lineatus*, 132
— *luctator*, 133
— *luctuosus*, 133
— *macedonicus*, 17–24, 133
— *marmoratus*, 133
— *natalensis*, 277
— *ninnii*, 133
— *robustus*, 133
— *sabulosus*, 133
— *striatipes*, 133
— *tenebrosus*, 17
— *tortuosus*, 24
— *ulmi*, 133, 189

Yakutopus xerophilus, 91
yapensis, Sobasina, 141 [*M. ya.*, sic]
ybyquyra, Anapistula, 325, 328, 329
Yllenus arenarius, 135
— *horvathi*, 135
yodoensis, Lophomma, 88
yodoensis, Silometopoides, 88, 89

zebraneus, Salticus, 134
zellensis, Zelotes, 130
Zelotes, 196, 360
— *aeneus*, 130
— *apricorum*, 130
— *atrocaeruleus*, 130
— *aurantiacus*, 130
— *babunaensis*, 130
— *callidus*, 130
— *caucasicus*, 130
— *clivicola*, 130
— *electus*, 130
— *erebeus*, 130
— *exiguus*, 130
— *gallicus*, 196–198
— *gracilis*, 110, 111, 130
— *hermani*, 130
— *labilis*, 196, 199
— *latreillei*, 4, 6, 7, 130, 290, 293
— *longipes*, 130
— *mediocris*, 196–198, 360
— *oblongus*, 130
— *olympi*, 130
— *petrensis*, 130
— *pseudoclivicola*, 130
— *pyrenaeus*, 360
— *reconditus*, 196, 198
— *reconditus mediocris*, 196, 197, 360
— *similis*, 130
— *subterraneus*, 4, 6, 7, 130
— *talpinus*, 130
— *tenuis*, 130
— *vespertinus*, 130
— *zellensis*, 130
zhui, Lasiargus, 86
Zilla diodia, 122
zimmermanni, Lepthyphantes, 118, 289, 290, 294
zimmermanni, Sitticus, 134
Zodarion, 186, 385, 386, 388, 391
— *aculeatum*, 128
— *alacre*, 385, 387, 389, 390, 393
— *algarvense*, 385
— *bacelarae*, 388–390, 392, 393
— *duriense*, 388–390, 392, 393
— *elegans*, 112, 385, 394

— *extraneum*, 389
— *fuscum*, 385
— *gallicum*, 112
— *germanicum*, 112
— *geticum*, 128
— *graecum*, 128
— *gregua*, 385, 388
— *guadianense*, 390, 392–394
— *italicum*, 128
— *jozefienae*, 385, 386, 388–393
— *lusitanicum*, 386, 388–390, 392–394
— *machadoi*, 385
— *maculatum*, 385, 390, 394
— *merlijni*, 390, 392, 393
— *morosum*, 128
— *ohridense*, 128
— *pirini*, 112, 128
— *rubidum*, 394
— *rudyi*, 385
— *segurense*, 388, 390, 393
— *soror*, 113
— *styliferum*, 385, 386, 388–391, 394
— *styliferum* f. *extraneum*, 385, 386, 388–393
— *thoni*, 128
— *timidum*, 112, 385, 389, 391
— *turcicum*, 128
— *viduum*, 385
Zodarium alacre, 389
— *maculatum*, 394
— *styliferum*, 391
— *timidum*, 389
Zora armillata, 130
— *manicata*, 130
— *nemoralis*, 131
— *pardalis*, 131
— *silvestris*, 131
— *spinimana*, 131, 294
Zornella cultrigera, 91, 268, 269
Zoropsis lutea, 125
— *spinimana*, 125
zuluense, *Microstigmata*, 277
zuluensis, *Ancylotrypa*, 277
Zygiella, 27–31
— *atrica*, 121
— *keyserlingi*, 121
— *montana*, 121
— *stroemi*, 121, 186
— *thorelli*, 121, 186
— *x-notata*, 27, 31, 121, 186

Printed in Great Britain by Henry Ling Ltd., at the Dorset Press, Dorchester, Dorset